



NEBRASKA GENERATOR SERVICE LLC

Quotation

Quotation #	20196
Date	03/05/2026

NOTES
<p>Project Name - Waverly Well #9 - Diesel Option</p> <p>*This quotation is for the below equipment, freight, and start-up ONLY. Installation, offloading / setting, wiring, and fuel are not included.</p> <p>Concrete Pad Dimensions (NGS Recommendation) - 12'L x 5'W x 8"D</p> <p>Lead Time - 16 - 20 weeks</p>

Estimate	
Description	Qty
<p>Cummins Generator Generator - Cummins - 80kW Diesel C80D6C, Diesel Genset, 60Hz, 80kW U.S. EPA, Stationary Emergency Application Duty Rating - Standby Power (ESP) Emission Certification, EPA, Tier 3, NSPS CI Stationary Emergency Listing - UL 2200 Shutdown - Low Coolant Level NFPA 110 Type 10 Level 1 Capable Exciter/Regulator - Permanent Magnet Generator, 3 Phase Sensor Voltage - 277/480, 3 Phase, Wye, 4 Wire Alternator - 60Hz, 12L, 480/277V, 105C, 40C Ambient, Increased Motor Start-ing (IMS) Aluminum Weather Protective Enclosure, with Exhaust System Enclosure Color - Green, Aluminum Enclosure - Wind Load 180 MPH, ASCE7-10 Skidbase - Housing Ready UL142 Sub Base Dual Wall Basic, Diesel Fuel Tank, 24 Hour Minimum Control Mounting - Left Facing PowerCommand 1.1 Controller Gauge - Oil Pressure Stop Switch - Emergency Control Display Language - English Load Connection - Single Circuit Breaker, Location A, 150A, 3P, 600 Volts AC, 80%, UL Engine Governor - Electronic, Isochronous Fuel Water Separator Low Fuel Level Switch, 40% Mechanical Fuel Gauge Switch - Fuel Tank, Rupture Basin Engine Starter - 12 Volt DC Motor Engine Air Cleaner - Normal Duty Battery Charging Alternator Battery Charger - 6 Amp, Regulated Engine Cooling - Radiator, High Ambient Air Temperature, Ship Fitted Extension - Coolant Drain Engine Coolant - 50% Antifreeze, 50% Water Mixture Engine Oil Heater - 120 Volts AC, Single Phase Coolant Heater, Extreme Cold Ambient Engine Oil</p>	1.00

Genset Warranty - 2 Years Base Larger Battery Rack Extension - Oil Drain		
O-Battery O-Battery		1.00
Cummins Transfer Switch OTECSE200, Service Entrance Transfer Switch, PowerCommand, 200 Amp Listing - UL 1008 Application - Utility to Genset Cabinet - Type 1 Poles - 3 (Solid Neutral) Frequency - 60 Hz System - 3 Phase, 3 or 4 Wire Voltage - 480 Volts AC Genset Starting Battery - 12V DC PC40 Control Interface - Communication Network, MODBUS TCP Module Transfer Switch Warranty - 1 Year Comprehensive		1.00
O-Start Up Start Up		1.00

Total: \$48,080.00

*Taxes are not included and are to be determined upon order.

Signature for Approval

Date

Quotation Prepared By:

Mason Rohrich
Sales Representative



13522 S 220th St, Gretna, NE 68028

M (402) 750-6510
E mason@nebraskageneratorservice.com

Terms & Conditions

- This quote is valid for a period of 30 days.
- Payment Terms:
Ordered Equipment - 20% due upon receipt and 80% due upon generator delivery.
Stock Equipment - Due in full upon order.
- This proposal is our interpretation of your requirement. It includes only the items listed on this quotation. Should there be other requirements or specifications, we will re-quote accordingly.
- Units are shipped wet to include lube oil and 50/50 water and antifreeze mix unless otherwise noted in this quotation.
- All extended piping, wiring, or other than listed above is performed by "others".
- Seller is not quoting, offloading, personnel instructions, or unit installation.
- Quoted prices include normal testing, packaging, and instructional literature.
- It is the purchaser and end user's responsibility to ensure that this equipment is operated in accordance with all applicable local, state, and federal laws and regulations governing the use and operation of this equipment.
- Applicable taxes are NOT included.
- Exception taken to any BABA requirements (if applicable).
- Physical Anchoring, any associated electrical and/or mechanical labor is the responsibility of others.
- Installation cost, permitting, NDEQ permits, UL2085 Fuel Tanks (if required), conduit, or wiring are NOT included.
- NETA and Infrared testing not included.
- Nebraska Generator Service's cancellation fee applies to all orders.
- Nebraska Generator Service reserves the right to withdraw this proposal at any time.
- NGS's Standard Genset and ATS Lug sizes will be provided regardless of specification. Any changes to that are the responsibility of others.
- Only those items outlined above will be included in this quotation. Any other items or materials added, regardless of specification, are subject to a price review by Nebraska Generator Service LLC.

Nebraska Generator Service LLC
4415 Patriot Blvd, Kearney, NE 68847

Nebraska Generator Service LLC
13522 S 220th St, Gretna, NE 68028

www.nebraskageneratorservice.com