



NEBRASKA GENERATOR SERVICE LLC

Quotation

Quotation #	20195
Date	03/05/2026

NOTES
<p>Project Name - Waverly Well #9 - NG Option</p> <p>*This quotation is for the below equipment, freight, and start-up ONLY. Installation, offloading / setting, wiring, and fuel plumbing are not included.</p> <p>Concrete Pad Dimensions (NGS Recommendation) - 14'L x 5'W x 8"D</p> <p>Lead Time - 12 - 14 weeks</p>

Estimate	
Description	Qty
<p>Cummins Generator Generator - Cummins - 125kW NG/LPV Unit Model - RS125 kW Rating - 125kW Fuel - NG/LPV EPA - 40CFR60 Standby - Emergency Stationary Standby UL2200 Listed - Yes Paint Color - Green</p> <p>Engine • Natural Gas / Propane 1800 rpm engine • Engine air cleaner - normal duty • Electronic governor, isochronous • Engine starter, 12 VDC motor • Shutdown - low oil pressure • Extension - oil drain • Engine oil - included</p> <p>Fuel system • Single fuel - Natural Gas or Propane Vapor</p> <p>Alternator • 60 Hz, 277/480V 3 phase, 120C temperature rise at 40C ambient • Exciter/voltage regulator - torque match</p> <p>Control • PowerCommand 1.1 • Display language - English</p> <p>Electrical • Single circuit breaker, UL certified • Battery charging alternator, normal duty • Battery charger - 6 Amp, regulated</p> <p>Cooling • Generator set cooling capability - 50C • Shutdown - low coolant level • Engine coolant - 50/50 mixture • Extension - coolant drain</p> <p>Enclosure • Aluminum enclosure Sound Level 1 with muffler installed -</p>	1.00

<p>green color</p> <ul style="list-style-type: none"> • Wind rating - 180 MPH <p>Code compliance</p> <ul style="list-style-type: none"> • UL 2200 • EPA emissions, stationary emergency, 40CFR60 • IBC Seismic • NFPA110 capable <p>Generator set application</p> <ul style="list-style-type: none"> • Coolant heater • Battery Rack • Literature (English) - operator's manual, installation manual <p>Warranty</p> <ul style="list-style-type: none"> • Base warranty - 2-year standby 	
<p>O-Battery O-Battery</p>	1.00
<p>Cummins Transfer Switch OTECSE200, Service Entrance Transfer Switch, PowerCommand, 200 Amp Listing - UL 1008 Application - Utility to Genset Cabinet - Type 1 Poles - 3 (Solid Neutral) Frequency - 60 Hz System - 3 Phase, 3 or 4 Wire Voltage - 480 Volts AC Genset Starting Battery - 12V DC PC40 Control Interface - Communication Network, MODBUS TCP Module Transfer Switch Warranty - 1 Year Comprehensive</p>	1.00
<p>Freight</p>	1.00
<p>O-Start Up Start Up</p>	1.00

Total: \$50,215.00

***Taxes are not included and are to be determined upon order.**

Signature for Approval

Date

Quotation Prepared By:

Mason Rohrich
Sales Representative



13522 S 220th St, Gretna, NE 68028

M (402) 750-6510
E mason@nebraskageneratorservice.com

Terms & Conditions

- This quote is valid for a period of 30 days.
- Payment Terms:
Ordered Equipment - 20% due upon receipt and 80% due upon generator delivery.
Stock Equipment - Due in full upon order.
- This proposal is our interpretation of your requirement. It includes only the items listed on this quotation. Should there be other requirements or specifications, we will re-quote accordingly.
- Units are shipped wet to include lube oil and 50/50 water and antifreeze mix unless otherwise noted in this quotation.
- All extended piping, wiring, or other than listed above is performed by "others".
- Seller is not quoting, offloading, personnel instructions, or unit installation.
- Quoted prices include normal testing, packaging, and instructional literature.
- It is the purchaser and end user's responsibility to ensure that this equipment is operated in accordance with all applicable local, state, and federal laws and regulations governing the use and operation of this equipment.
- Applicable taxes are NOT included.
- Exception taken to any BABA requirements (if applicable).
- Physical Anchoring, any associated electrical and/or mechanical labor is the responsibility of others.
- Installation cost, permitting, NDEQ permits, UL2085 Fuel Tanks (if required), conduit, or wiring are NOT included.
- NETA and Infrared testing not included.
- Nebraska Generator Service's cancellation fee applies to all orders.
- Nebraska Generator Service reserves the right to withdraw this proposal at any time.
- NGS's Standard Genset and ATS Lug sizes will be provided regardless of specification. Any changes to that are the responsibility of others.
- Only those items outlined above will be included in this quotation. Any other items or materials added, regardless of specification, are subject to a price review by Nebraska Generator Service LLC.

Nebraska Generator Service LLC
4415 Patriot Blvd, Kearney, NE 68847

Nebraska Generator Service LLC
13522 S 220th St, Gretna, NE 68028

www.nebraskageneratorservice.com