



Good Life. Great Journey.

DEPARTMENT OF TRANSPORTATION



Jim Pillen, Governor

December 20th, 2023

Mr. Tom Ourada, City Administrator
City of Crete
243 East 13th Street
Crete NE 68333-0086

Subject: Crete Municipal Airport
Crete, Nebraska
PCI Survey

Dear Mr. Ourada

On June 22nd, 2023, representatives from the Nebraska Department of Transportation Aeronautics Division (NDOT) visited your airport and conducted a survey of the operational area pavement.

Enclosed is a report containing information on the inspection results. The report is based on the inspector's brief observations, and should not be used as the basis of actual construction or repairs without the consultation and advice of a registered Professional Engineer.

The majority of the pavement at Crete is in Satisfactory to Good condition, but a thin strip of the runway scored as 'Fair,' and one Section of the apron was in Very Poor condition (see enclosed color-coded map). We encourage you to keep the pavement on a maintenance schedule to preserve the pavement for as many years as possible. Joint seal damage was identified on all the pavements. The City should schedule a project to reseal the joints. Keeping the joints sealed is one of the most cost effective methods of maintaining the pavement and extending pavement life. Federal and state programs are available to assist.

Please feel free to contact this office if you have any questions with regard to the enclosed report, or if you would like to request assistance for any future needs.

Sincerely,
Nebraska Department of Transportation

Dave Lehnert

*Liaison Technician II
Aeronautics Division*

Nebraska Department of Transportation

OFFICE 402-471-7928

dave.lehnert@nebraska.gov

Vicki Kramer, Director

Department of Transportation

MAILING ADDRESS

PO Box 94759
Lincoln, NE 68509-4759

PHYSICAL ADDRESS

1500 Nebraska Parkway
Lincoln, NE 68502

PHONE 402-471-4567

EMAIL NDOT.ContactUs@nebraska.gov

Aeronautics Division

1600 Nebraska Parkway
Lincoln, NE 68502
OFFICE 402-471-2371

Navigational Aids Office

Kearney Regional Airport
5065 Airport Road
Kearney, NE 68847
OFFICE 308-865-5696
FAX 308-865-5697

dot.nebraska.gov

Crete Municipal Airport

SUGGESTED MAINTENANCE, 2024-2026

The airport has no major pavement projects scheduled in the next three years.
The table below includes estimated costs for annual maintenance plus reserves for future projects.

Concrete maintenance includes crack & joint sealing, patching, and panel replacement.

Annual Maintenance / <i>Future Projects</i>	Year	Estimated Cost
Concrete pavement maintenance as needed /	2024	\$3,600
Concrete pavement maintenance as needed /	2025	\$3,800
Concrete pavement maintenance as needed /	2026	\$4,000

Estimated three year total \$11,400

(The above chart is offered only as a general guideline under ideal funding conditions; NDA understands local economies may not have the resources for the projected costs, and emphasizes the "**as needed**" nature of the suggested maintenance).


Please read carefully the "Pavement Maintenance Recommendations" of FAA Regional Paving Engineer, Doug Johnson, listed below;

It is the responsibility of the owners of the airport to:

Perform regular general maintenance activities and to immediately correct any situation that poses a safety hazard.

To prolong pavement life the following strategies should be implemented:

1. Conduct an aggressive campaign against weed growth. Vegetation growing in pavement cracks is very destructive and significantly increases the rate of pavement deterioration.
2. Implement a regular crack sealing and joint sealing program. Keeping water and debris out of the pavement system is a proven method for extending the life of the pavement system.
3. Closely monitor pavement loads. In addition to aircraft loads pay particular attention to: farming, construction, maintenance & snow removal and fueling equipment to make sure that they are only operating on pavements designed to accommodate these loads. Note this may require that you limit the size of snow removal equipment. Failure to restrict heavy loads to appropriate areas may result in the premature failure of airport pavements.
4. Maintain positive drainage away from pavements. Ensure that water can drain away from pavements and not held at the edge of pavements by allowing dirt to build up at the edge of pavements. Also make sure that edge drain outlets are clear and any drainage structures are clear.



*Pavement Database: 10-5-22 paver7**NetworkId: CEK*

Branch ID	Section ID	Last Const. Date	Surface	Use	Rank	Lanes	True Area (SqFt)	Last Inspection Date	Age At Inspection	PCI
CRTA1	01	9/20/2013	PCC	APRON	P	0	8,136.00	6/22/2023	10	80
CRTA1	02	9/30/1964	PCC	APRON	P	0	21,596.00	6/22/2023	59	37
CRTA1	03	7/1/1975	PCC	APRON	P	0	11,767.00	6/22/2023	48	97
CRTA1	04	7/26/1997	PCC	APRON	S	0	76,788.00	6/22/2023	26	83
CRTR1	01	9/30/1964	PCC	RUNWAY	P	0	127,500.00	6/22/2023	59	89
CRTR1	02	7/1/1975	PCC	RUNWAY	P	0	82,500.00	6/22/2023	48	89
CRTR1	03	7/1/1975	PCC	RUNWAY	P	0	59,625.00	6/22/2023	48	60
CRTR1	04	8/11/1987	PCC	RUNWAY	P	0	11,250.00	6/22/2023	36	98
CRTR1	05	8/11/1987	PCC	RUNWAY	P	0	33,750.00	6/22/2023	36	88
CRTR2	01	5/8/2009	PCC	RUNWAY	P	0	25,559.00	6/22/2023	14	95
CRTT1	01	9/30/1964	PCC	TAXIWAY	P	0	18,330.00	6/22/2023	59	78
CRTT1	02	7/26/1997	PCC	TAXIWAY	P	0	14,207.00	6/22/2023	26	92
CRTT1	03	7/26/1997	PCC	TAXIWAY	P	0	54,000.00	6/22/2023	26	93
CRTT2	01	8/11/1987	PCC	TAXIWAY	S	0	7,256.00	6/22/2023	36	74
CRTT2	02	5/8/2009	PCC	TAXIWAY	S	0	87,573.00	6/22/2023	14	97
CRTT2	03	5/8/2009	PCC	TAXIWAY	S	0	9,895.00	6/22/2023	14	100

Pavement Database: 10-5-22 paver7

Age Category	Average Age at Inspection	Total Area (SqFt)	Number of Sections	Arithmetic Average PCI	Standard Deviation PCI	Weighted Average PCI
06-10	10	8,136.00	1	80.00	0.00	80.00
11-15	14	123,027.00	3	97.33	2.05	96.83
26-30	26	144,995.00	3	89.33	4.50	87.61
36-40	36	52,256.00	3	86.67	9.84	88.21
41-50	48	153,892.00	3	82.00	15.90	78.38
50+	59	167,426.00	3	68.00	22.38	81.09
ALL	35	649,732.00	16	84.38	15.93	85.44

Re-Inspection Report

10-5-22 paver7

Generated Date

12/20/2023

Page 1 of 1

Network:	CEK			Name:	CRETE					
Branch:	CRTA1	Name:	APRON		Use:	APRON	Area:	118,287 SqFt		
Section:	01	of	4	From:	APRON1-02		To:	APRON1-03	Last Const.:	9/20/2013
Surface:	PCC	Family:	NDA-PCC-APRON-N,R		Zone:	E	Category:	R	Rank:	P
Area:	8,136 SqFt		Length:	179 Ft		Width:	45 Ft			
Slabs:	76	Slab Length:	12 Ft		Slab Width:	10 Ft		Joint Length:	1,282 Ft	
Shoulder:	Street Type:		Grade:		0		Lanes:	0		
Section Comments:										

Last Insp. Date:	6/22/2023	TotalSamples:	3	Surveyed:	3
-------------------------	-----------	----------------------	---	------------------	---

Conditions: PCI: 80

Inspection Comments:

Sample Number:	001	Type:	R	Area:	23.00 Slabs	PCI:	79
-----------------------	-----	--------------	---	--------------	-------------	-------------	----

Sample Comments:

63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
65	JT SEAL DMG	L	23.00	Slabs
71	FAULTING	M	1.00	Slabs
74	JOINT SPALL	L	1.00	Slabs
74	JOINT SPALL	L	1.00	Slabs
75	CORNER SPALL	L	1.00	Slabs
75	CORNER SPALL	L	1.00	Slabs

Sample Number:	002	Type:	R	Area:	27.00 Slabs	PCI:	90
-----------------------	-----	--------------	---	--------------	-------------	-------------	----

Sample Comments:

62	CORNER BREAK	L	1.00	Slabs
65	JT SEAL DMG	L	27.00	Slabs
71	FAULTING	L	1.00	Slabs
74	JOINT SPALL	L	1.00	Slabs

Sample Number:	003	Type:	R	Area:	26.00 Slabs	PCI:	71
-----------------------	-----	--------------	---	--------------	-------------	-------------	----

Sample Comments:

62	CORNER BREAK	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
65	JT SEAL DMG	L	26.00	Slabs
74	JOINT SPALL	L	1.00	Slabs
74	JOINT SPALL	L	1.00	Slabs
74	JOINT SPALL	L	1.00	Slabs
74	JOINT SPALL	M	1.00	Slabs
74	JOINT SPALL	M	1.00	Slabs
74	JOINT SPALL	M	1.00	Slabs
74	JOINT SPALL	M	1.00	Slabs
76	ASR	L	1.00	Slabs

Network:	CEK			Name:	CRETE						
Branch:	CRTA1		Name:	APRON		Use:	APRON		Area:	118,287 SqFt	
Section:	02		of	4		From:	TW1-01		To:	APRON1-04	
Surface:	PCC		Family:	NDA-PCC-APRON-N,R		Zone:	E		Category:	R	
Area:	21,596 SqFt		Length:	200 Ft		Width:	105 Ft				
Slabs:	99		Slab Length:	20 Ft		Slab Width:	10 Ft		Joint Length:	2,845 Ft	
Shoulder:			Street Type:			Grade:	0		Lanes:	0	
Section Comments:											
Last Insp. Date:	6/22/2023			TotalSamples:	4		Surveyed:	3			
Conditions:	PCI:		37								
Inspection Comments:											
Sample Number:	001		Type:	R		Area:	21.00 Slabs		PCI:	14	
Sample Comments:											
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
65	JT SEAL DMG		M	21.00		Slabs					
71	FAULTING		M	1.00		Slabs					
71	FAULTING		H	1.00		Slabs					
71	FAULTING		H	1.00		Slabs					
71	FAULTING		H	1.00		Slabs					
71	FAULTING		H	1.00		Slabs					
74	JOINT SPALL		L	1.00		Slabs					
74	JOINT SPALL		L	1.00		Slabs					
Sample Number:	002		Type:	R		Area:	20.00 Slabs		PCI:	50	
Sample Comments:											
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		L	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
65	JT SEAL DMG		L	20.00		Slabs					
74	JOINT SPALL		H	1.00		Slabs					
Sample Number:	004		Type:	R		Area:	12.00 Slabs		PCI:	53	
Sample Comments:											
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
63	LINEAR CR		M	1.00		Slabs					
65	JT SEAL DMG		M	12.00		Slabs					
74	JOINT SPALL		L	1.00		Slabs					
74	JOINT SPALL		L	1.00		Slabs					

Network:	CEK			Name:	CRETE						
Branch:	CRTA1		Name:	APRON		Use:	APRON	Area:	118,287 SqFt		
Section:	03	of 4	From:	APRON1-01			To:	APRON1-04		Last Const.:	7/1/1975
Surface:	PCC	Family:	NDA-PCC-APRON-N,R		Zone:	E	Category:	R		Rank:	P
Area:	11,767 SqFt		Length:	85 Ft		Width:	139 Ft				
Slabs:	62	Slab Length:	12 Ft		Slab Width:	15 Ft		Joint Length:	1,548 Ft		
Shoulder:	Street Type:		Grade:		0		Lanes:	0			
Section Comments:	2 SU										
Last Insp. Date:	6/22/2023		TotalSamples:	2		Surveyed:	2				
Conditions:	PCI:	97									
Inspection Comments:											
Sample Number:	001	Type:	R	Area:	20.00 Slabs		PCI:	98			
Sample Comments:											
65	JT SEAL DMG		L	20.00 Slabs							
Sample Number:	002	Type:	R	Area:	20.00 Slabs		PCI:	96			
Sample Comments:											
65	JT SEAL DMG		L	20.00 Slabs							
75	CORNER SPALL		L	1.00 Slabs							

Network:	CEK		Name:	CRETE										
Branch:	CRTA1		Name:	APRON		Use:	APRON		Area:	118,287 SqFt				
Section:	04 of 4		From:	TW1-02		To:	TW1-03		Last Const.:	7/26/1997				
Surface:	PCC		Family:	NDA-PCC-APRON-N,R		Zone:	E		Category:	R		Rank:	S	
Area:	76,788 SqFt		Length:	385 Ft		Width:	162 Ft							
Slabs:	302		Slab Length:	13 Ft		Slab Width:	12 Ft		Joint Length:	9,329 Ft				
Shoulder:			Street Type:			Grade:	0		Lanes:	0				
Section Comments:	17 SU													
Last Insp. Date:	6/22/2023		TotalSamples:	21		Surveyed:	14							
Conditions:	PCI: 83													
Inspection Comments:														
Sample Number:	001		Type:	R		Area:	20.00 Slabs		PCI:	81				
Sample Comments:														
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
65	JT SEAL DMG		M	20.00 Slabs										
74	JOINT SPALL		L	1.00 Slabs										
74	JOINT SPALL		L	1.00 Slabs										
Sample Number:	003		Type:	R		Area:	20.00 Slabs		PCI:	78				
Sample Comments:														
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
65	JT SEAL DMG		L	20.00 Slabs										
76	ASR		L	1.00 Slabs										
Sample Number:	005		Type:	R		Area:	20.00 Slabs		PCI:	79				
Sample Comments:														
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
65	JT SEAL DMG		L	20.00 Slabs										
66	SMALL PATCH		L	1.00 Slabs										
74	JOINT SPALL		L	1.00 Slabs										
Sample Number:	007		Type:	R		Area:	20.00 Slabs		PCI:	90				
Sample Comments:														
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
65	JT SEAL DMG		L	20.00 Slabs										
Sample Number:	008		Type:	R		Area:	20.00 Slabs		PCI:	80				
Sample Comments:														
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										
65	JT SEAL DMG		L	20.00 Slabs										
74	JOINT SPALL		L	1.00 Slabs										
76	ASR		L	1.00 Slabs										
76	ASR		L	1.00 Slabs										
Sample Number:	009		Type:	R		Area:	20.00 Slabs		PCI:	75				
Sample Comments:														
62	CORNER BREAK		L	1.00 Slabs										
63	LINEAR CR		L	1.00 Slabs										

63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
65	JT SEAL DMG	L	20.00	Slabs
76	ASR	L	1.00	Slabs

Sample Number: 011 **Type:** R **Area:** 20.00 Slabs **PCI:** 78

Sample Comments:

63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
65	JT SEAL DMG	L	20.00	Slabs
76	ASR	L	1.00	Slabs
76	ASR	L	1.00	Slabs

Sample Number: 013 **Type:** R **Area:** 20.00 Slabs **PCI:** 72

Sample Comments:

63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
65	JT SEAL DMG	L	20.00	Slabs
72	SHAT. SLAB	M	1.00	Slabs

Sample Number: 014 **Type:** R **Area:** 20.00 Slabs **PCI:** 72

Sample Comments:

62	CORNER BREAK	L	1.00	Slabs
62	CORNER BREAK	L	1.00	Slabs
62	CORNER BREAK	L	1.00	Slabs
62	CORNER BREAK	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
65	JT SEAL DMG	L	20.00	Slabs

Sample Number: 015 **Type:** R **Area:** 20.00 Slabs **PCI:** 95

Sample Comments:

65	JT SEAL DMG	L	20.00	Slabs
66	SMALL PATCH	L	1.00	Slabs
75	CORNER SPALL	L	1.00	Slabs

Sample Number: 016 **Type:** R **Area:** 20.00 Slabs **PCI:** 98

Sample Comments:

65	JT SEAL DMG	L	20.00	Slabs
----	-------------	---	-------	-------

Sample Number: 018 **Type:** R **Area:** 20.00 Slabs **PCI:** 100

Sample Comments:

<No Distress>

Sample Number: 019 **Type:** R **Area:** 20.00 Slabs **PCI:** 83

Sample Comments:

63	LINEAR CR	L	1.00	Slabs
65	JT SEAL DMG	L	20.00	Slabs
74	JOINT SPALL	L	1.00	Slabs
76	ASR	L	1.00	Slabs
76	ASR	L	1.00	Slabs

Sample Number: 021 **Type:** R **Area:** 20.00 Slabs **PCI:** 82

Sample Comments:

74	JOINT SPALL	L	1.00	Slabs
76	ASR	L	1.00	Slabs
76	ASR	L	1.00	Slabs
76	ASR	L	1.00	Slabs

[illegible]

Network:	CEK			Name:	CRETE								
Branch:	CRTR1		Name:	RUNWAY 17/35		Use:	RUNWAY	Area:	314,625 SqFt				
Section:	01 of 5		From:	RW1-02			To:	RW1-04		Last Const.:	9/30/1964		
Surface:	PCC		Family:	NDA-PCC-RUNWAY-N,R		Zone:	E		Category:	R		Rank:	P
Area:	127,500 SqFt		Length:	2,500 Ft		Width:	50 Ft						
Slabs:	704		Slab Length:	15 Ft		Slab Width:	13 Ft		Joint Length:	24,640 Ft			
Shoulder:			Street Type:			Grade:	0		Lanes:	0			
Section Comments:													
Last Insp. Date:	6/22/2023			TotalSamples:	34		Surveyed:	19					
Conditions:	PCI:		89										
Inspection Comments:													
Sample Number:	001		Type:	R		Area:	16.00 Slabs		PCI:	81			
Sample Comments:													
65	JT SEAL DMG		L	16.00 Slabs									
71	FAULTING		M	1.00 Slabs									
71	FAULTING		M	1.00 Slabs									
Sample Number:	002		Type:	R		Area:	20.00 Slabs		PCI:	54			
Sample Comments:													
62	CORNER BREAK		L	1.00 Slabs									
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
65	JT SEAL DMG		L	20.00 Slabs									
66	SMALL PATCH		L	1.00 Slabs									
66	SMALL PATCH		L	1.00 Slabs									
72	SHAT. SLAB		L	1.00 Slabs									
Sample Number:	005		Type:	R		Area:	20.00 Slabs		PCI:	98			
Sample Comments:													
65	JT SEAL DMG		L	20.00 Slabs									
Sample Number:	006		Type:	R		Area:	20.00 Slabs		PCI:	98			
Sample Comments:													
65	JT SEAL DMG		L	20.00 Slabs									
Sample Number:	007		Type:	R		Area:	20.00 Slabs		PCI:	98			
Sample Comments:													
65	JT SEAL DMG		L	20.00 Slabs									
Sample Number:	010		Type:	R		Area:	20.00 Slabs		PCI:	90			
Sample Comments:													
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		L	1.00 Slabs									
65	JT SEAL DMG		L	20.00 Slabs									
Sample Number:	012		Type:	R		Area:	20.00 Slabs		PCI:	98			
Sample Comments:													
65	JT SEAL DMG		L	20.00 Slabs									
Sample Number:	013		Type:	R		Area:	20.00 Slabs		PCI:	94			
Sample Comments:													
62	CORNER BREAK		L	1.00 Slabs									
65	JT SEAL DMG		L	20.00 Slabs									
Sample Number:	014		Type:	R		Area:	20.00 Slabs		PCI:	98			
Sample Comments:													
65	JT SEAL DMG		L	20.00 Slabs									

Sample Number: 017		Type: R	Area:	20.00 Slabs	PCI: 93
Sample Comments:					
62	CORNER BREAK	L	1.00 Slabs		
65	JT SEAL DMG	L	20.00 Slabs		
66	SMALL PATCH	L	1.00 Slabs		
Sample Number: 020		Type: R	Area:	20.00 Slabs	PCI: 91
Sample Comments:					
65	JT SEAL DMG	L	20.00 Slabs		
66	SMALL PATCH	L	1.00 Slabs		
67	LARGE PATCH	L	1.00 Slabs		
67	LARGE PATCH	L	1.00 Slabs		
Sample Number: 021		Type: R	Area:	20.00 Slabs	PCI: 98
Sample Comments:					
65	JT SEAL DMG	L	20.00 Slabs		
Sample Number: 022		Type: R	Area:	20.00 Slabs	PCI: 85
Sample Comments:					
62	CORNER BREAK	L	1.00 Slabs		
63	LINEAR CR	L	1.00 Slabs		
63	LINEAR CR	L	1.00 Slabs		
65	JT SEAL DMG	L	20.00 Slabs		
Sample Number: 025		Type: R	Area:	20.00 Slabs	PCI: 98
Sample Comments:					
65	JT SEAL DMG	L	20.00 Slabs		
Sample Number: 026		Type: R	Area:	20.00 Slabs	PCI: 93
Sample Comments:					
63	LINEAR CR	L	1.00 Slabs		
65	JT SEAL DMG	L	20.00 Slabs		
Sample Number: 027		Type: R	Area:	20.00 Slabs	PCI: 75
Sample Comments:					
63	LINEAR CR	L	1.00 Slabs		
63	LINEAR CR	L	1.00 Slabs		
63	LINEAR CR	L	1.00 Slabs		
63	LINEAR CR	L	1.00 Slabs		
63	LINEAR CR	L	1.00 Slabs		
63	LINEAR CR	L	1.00 Slabs		
65	JT SEAL DMG	L	20.00 Slabs		
66	SMALL PATCH	L	1.00 Slabs		
74	JOINT SPALL	L	1.00 Slabs		
74	JOINT SPALL	M	1.00 Slabs		
Sample Number: 028		Type: R	Area:	20.00 Slabs	PCI: 65
Sample Comments:					
62	CORNER BREAK	L	1.00 Slabs		
62	CORNER BREAK	L	1.00 Slabs		
62	CORNER BREAK	L	1.00 Slabs		
63	LINEAR CR	L	1.00 Slabs		
63	LINEAR CR	L	1.00 Slabs		
63	LINEAR CR	M	1.00 Slabs		
65	JT SEAL DMG	L	20.00 Slabs		
67	LARGE PATCH	L	1.00 Slabs		
67	LARGE PATCH	L	1.00 Slabs		
74	JOINT SPALL	L	1.00 Slabs		
75	CORNER SPALL	M	1.00 Slabs		
Sample Number: 032		Type: R	Area:	20.00 Slabs	PCI: 98
Sample Comments:					
65	JT SEAL DMG	L	20.00 Slabs		
Sample Number: 033		Type: R	Area:	20.00 Slabs	PCI: 80
Sample Comments:					

63	LINEAR CR	L	1.00	Slabs
65	JT SEAL DMG	L	20.00	Slabs
67	LARGE PATCH	L	1.00	Slabs
72	SHAT. SLAB	L	1.00	Slabs

Network:	CEK			Name:	CRETE						
Branch:	CRTR1		Name:	RUNWAY 17/35		Use:	RUNWAY	Area:	314,625 SqFt		
Section:	02 of 5		From:	RW1-01			To:	RW1-05		Last Const.:	7/1/1975
Surface:	PCC		Family:	NDA-PCC-RUNWAY-N,R		Zone:	E		Category:	R	
Area:	82,500 SqFt		Length:	1,100 Ft		Width:	75 Ft				
Slabs:	438		Slab Length:	15 Ft		Slab Width:	13 Ft		Joint Length:	15,330 Ft	
Shoulder:			Street Type:			Grade:	0		Lanes:	0	
Section Comments:											
Last Insp. Date:	6/22/2023			TotalSamples:	22		Surveyed:	8			
Conditions:	PCI:		89								
Inspection Comments:											
Sample Number:	005		Type:	R		Area:	20.00 Slabs		PCI:	70	
Sample Comments:											
63	LINEAR CR		L	1.00 Slabs							
63	LINEAR CR		M	1.00 Slabs							
63	LINEAR CR		M	1.00 Slabs							
63	LINEAR CR		M	1.00 Slabs							
65	JT SEAL DMG		L	20.00 Slabs							
Sample Number:	008		Type:	R		Area:	20.00 Slabs		PCI:	84	
Sample Comments:											
65	JT SEAL DMG		L	20.00 Slabs							
66	SMALL PATCH		L	1.00 Slabs							
71	FAULTING		L	1.00 Slabs							
71	FAULTING		M	1.00 Slabs							
Sample Number:	011		Type:	R		Area:	20.00 Slabs		PCI:	98	
Sample Comments:											
65	JT SEAL DMG		L	20.00 Slabs							
Sample Number:	014		Type:	R		Area:	20.00 Slabs		PCI:	98	
Sample Comments:											
65	JT SEAL DMG		L	20.00 Slabs							
Sample Number:	016		Type:	R		Area:	20.00 Slabs		PCI:	98	
Sample Comments:											
65	JT SEAL DMG		L	20.00 Slabs							
Sample Number:	017		Type:	R		Area:	20.00 Slabs		PCI:	92	
Sample Comments:											
63	LINEAR CR		L	1.00 Slabs							
65	JT SEAL DMG		L	20.00 Slabs							
66	SMALL PATCH		L	1.00 Slabs							
Sample Number:	020		Type:	R		Area:	20.00 Slabs		PCI:	97	
Sample Comments:											
65	JT SEAL DMG		L	20.00 Slabs							
66	SMALL PATCH		L	1.00 Slabs							
Sample Number:	022		Type:	R		Area:	18.00 Slabs		PCI:	72	
Sample Comments:											
62	CORNER BREAK		L	1.00 Slabs							
65	JT SEAL DMG		L	18.00 Slabs							
66	SMALL PATCH		L	1.00 Slabs							
71	FAULTING		L	1.00 Slabs							
71	FAULTING		L	1.00 Slabs							
71	FAULTING		M	1.00 Slabs							
71	FAULTING		M	1.00 Slabs							

Network:		CEK		Name:		CRETE													
Branch:		CRTR1		Name:		RUNWAY 17/35		Use:		RUNWAY		Area:		314,625 SqFt					
Section:		03		of		5		From:		RW1-01 WEST EDGE		To:		RW1-04		Last Const.:		7/1/1975	
Surface:		PCC		Family:		NDA-PCC-RUNWAY-N,R		Zone:		E		Category:		R		Rank:		P	
Area:		59,625 SqFt		Length:		2,500 Ft		Width:		25 Ft									
Slabs:		318		Slab Length:		15 Ft		Slab Width:		13 Ft		Joint Length:		11,130 Ft					
Shoulder:				Street Type:				Grade:		0		Lanes:		0					
Section Comments:																			
Last Insp. Date:		6/22/2023		TotalSamples:		15		Surveyed:		11									
Conditions:		PCI: 60																	
Inspection Comments:																			
Sample Number:		001		Type:		R		Area:		20.00 Slabs		PCI:		65					
Sample Comments:																			
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			M		1.00		Slabs											
63	LINEAR CR			M		1.00		Slabs											
65	JT SEAL DMG			L		20.00		Slabs											
66	SMALL PATCH			L		1.00		Slabs											
66	SMALL PATCH			L		1.00		Slabs											
67	LARGE PATCH			L		1.00		Slabs											
74	JOINT SPALL			M		1.00		Slabs											
Sample Number:		002		Type:		R		Area:		20.00 Slabs		PCI:		61					
Sample Comments:																			
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			M		1.00		Slabs											
63	LINEAR CR			M		1.00		Slabs											
63	LINEAR CR			M		1.00		Slabs											
63	LINEAR CR			M		1.00		Slabs											
65	JT SEAL DMG			L		20.00		Slabs											
66	SMALL PATCH			L		1.00		Slabs											
Sample Number:		003		Type:		R		Area:		20.00 Slabs		PCI:		63					
Sample Comments:																			
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			M		1.00		Slabs											
63	LINEAR CR			M		1.00		Slabs											
63	LINEAR CR			M		1.00		Slabs											
65	JT SEAL DMG			L		20.00		Slabs											
74	JOINT SPALL			L		1.00		Slabs											
Sample Number:		005		Type:		R		Area:		20.00 Slabs		PCI:		44					
Sample Comments:																			
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											
63	LINEAR CR			L		1.00		Slabs											

63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
65	JT SEAL DMG	L	20.00	Slabs
66	SMALL PATCH	H	1.00	Slabs
66	SMALL PATCH	H	1.00	Slabs
Sample Number: 007 Type: R Area: 20.00 Slabs PCI: 69				
Sample Comments:				
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
65	JT SEAL DMG	L	20.00	Slabs
Sample Number: 008 Type: R Area: 20.00 Slabs PCI: 61				
Sample Comments:				
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
65	JT SEAL DMG	L	20.00	Slabs
Sample Number: 010 Type: R Area: 20.00 Slabs PCI: 58				
Sample Comments:				
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
65	JT SEAL DMG	L	20.00	Slabs
Sample Number: 011 Type: R Area: 20.00 Slabs PCI: 70				
Sample Comments:				
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
65	JT SEAL DMG	L	20.00	Slabs
Sample Number: 012 Type: R Area: 20.00 Slabs PCI: 59				
Sample Comments:				
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	L	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
63	LINEAR CR	M	1.00	Slabs
65	JT SEAL DMG	L	20.00	Slabs

Sample Number: 014		Type:	R	Area:	20.00 Slabs	PCI:	58
Sample Comments:							
63	LINEAR CR		L	1.00	Slabs		
63	LINEAR CR		L	1.00	Slabs		
63	LINEAR CR		L	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
65	JT SEAL DMG		L	20.00	Slabs		

Sample Number: 015		Type:	R	Area:	20.00 Slabs	PCI:	55
Sample Comments:							
63	LINEAR CR		L	1.00	Slabs		
63	LINEAR CR		L	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
63	LINEAR CR		M	1.00	Slabs		
65	JT SEAL DMG		L	20.00	Slabs		

Network:	CEK			Name:	CRETE									
Branch:	CRTR1		Name:	RUNWAY 17/35		Use:	RUNWAY	Area:	314,625 SqFt					
Section:	04 of 5		From:	RW END 17			To:	RW1-01		Last Const.:	8/11/1987			
Surface:	PCC		Family:	NDA-PCC-RUNWAY-N,R		Zone:	E		Category:	R		Rank:	P	
Area:	11,250 SqFt		Length:	150 Ft		Width:	75 Ft							
Slabs:	72		Slab Length:	13 Ft		Slab Width:	13 Ft		Joint Length:	2,250 Ft				
Shoulder:			Street Type:			Grade:	0		Lanes:	0				
Section Comments:														
Last Insp. Date:	6/22/2023		TotalSamples:	3		Surveyed:	3							
Conditions:	PCI: 98													
Inspection Comments:														
Sample Number:	001		Type:	R		Area:	24.00 Slabs		PCI:	98				
Sample Comments:														
65	JT SEAL DMG		L	24.00 Slabs										
Sample Number:	002		Type:	R		Area:	24.00 Slabs		PCI:	98				
Sample Comments:														
65	JT SEAL DMG		L	24.00 Slabs										
Sample Number:	003		Type:	R		Area:	24.00 Slabs		PCI:	97				
Sample Comments:														
65	JT SEAL DMG		L	24.00 Slabs										
73	SHRINKAGE CR		N	1.00 Slabs										

Network:	CEK			Name:	CRETE								
Branch:	CRTR1		Name:	RUNWAY 17/35		Use:	RUNWAY	Area:	314,625 SqFt				
Section:	05 of 5		From:	RW END 35			To:	RW1-02		Last Const.:	8/11/1987		
Surface:	PCC		Family:	NDA-PCC-RUNWAY-N,R		Zone:	E		Category:	R		Rank:	P
Area:	33,750 SqFt		Length:	450 Ft		Width:	75 Ft						
Slabs:	216		Slab Length:	13 Ft		Slab Width:	13 Ft		Joint Length:	6,750 Ft			
Shoulder:			Street Type:			Grade:	0		Lanes:	0			
Section Comments:													
Last Insp. Date:	6/22/2023			TotalSamples:	9		Surveyed:	6					
Conditions:	PCI: 88												
Inspection Comments:													
Sample Number:	001		Type:	R		Area:	24.00 Slabs		PCI:	76			
Sample Comments:													
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
65	JT SEAL DMG		L	24.00 Slabs									
Sample Number:	003		Type:	R		Area:	24.00 Slabs		PCI:	89			
Sample Comments:													
63	LINEAR CR		M	1.00 Slabs									
65	JT SEAL DMG		L	24.00 Slabs									
Sample Number:	005		Type:	R		Area:	24.00 Slabs		PCI:	98			
Sample Comments:													
65	JT SEAL DMG		L	24.00 Slabs									
Sample Number:	006		Type:	R		Area:	24.00 Slabs		PCI:	98			
Sample Comments:													
65	JT SEAL DMG		L	24.00 Slabs									
Sample Number:	007		Type:	R		Area:	24.00 Slabs		PCI:	97			
Sample Comments:													
65	JT SEAL DMG		L	24.00 Slabs									
73	SHRINKAGE CR		N	1.00 Slabs									
Sample Number:	008		Type:	R		Area:	24.00 Slabs		PCI:	70			
Sample Comments:													
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
65	JT SEAL DMG		L	24.00 Slabs									
73	SHRINKAGE CR		N	1.00 Slabs									
74	JOINT SPALL		L	1.00 Slabs									
74	JOINT SPALL		L	1.00 Slabs									
74	JOINT SPALL		L	1.00 Slabs									
74	JOINT SPALL		M	1.00 Slabs									

Network:	CEK	Name:	CRETE						
Branch:	CRTR2	Name:	RUNWAY	Use:	RUNWAY	Area:	25,559 SqFt		
Section:	01	of	1	From:	R1-03	To:	T2-02	Last Const.:	5/8/2009
Surface:	PCC	Family:	NDA-PCC-RUNWAY-N,R	Zone:	E	Category:	R	Rank:	P
Area:	25,559 SqFt	Length:	425 Ft	Width:	60 Ft				
Slabs:	256	Slab Length:	10 Ft	Slab Width:	10 Ft	Joint Length:	4,615 Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Last Insp. Date:	6/22/2023	TotalSamples:	12	Surveyed:	6				
Conditions:	PCI: 95								
Inspection Comments:									
Sample Number:	002	Type:	R	Area:	20.00 Slabs	PCI:	98		
Sample Comments:									
65	JT SEAL DMG	L	20.00	Slabs					
Sample Number:	004	Type:	R	Area:	20.00 Slabs	PCI:	98		
Sample Comments:									
75	CORNER SPALL	L	1.00	Slabs					
Sample Number:	005	Type:	R	Area:	21.00 Slabs	PCI:	98		
Sample Comments:									
65	JT SEAL DMG	L	21.00	Slabs					
Sample Number:	008	Type:	R	Area:	20.00 Slabs	PCI:	83		
Sample Comments:									
63	LINEAR CR	L	1.00	Slabs					
63	LINEAR CR	L	1.00	Slabs					
63	LINEAR CR	L	1.00	Slabs					
63	LINEAR CR	L	1.00	Slabs					
63	LINEAR CR	L	1.00	Slabs					
65	JT SEAL DMG	L	20.00	Slabs					
Sample Number:	010	Type:	R	Area:	20.00 Slabs	PCI:	98		
Sample Comments:									
65	JT SEAL DMG	L	20.00	Slabs					
Sample Number:	011	Type:	R	Area:	20.00 Slabs	PCI:	98		
Sample Comments:									
65	JT SEAL DMG	L	20.00	Slabs					

Network:	CEK			Name:	CRETE								
Branch:	CRTT1		Name:	CONNECTING TAXIWAY			Use:	TAXIWAY		Area:	86,537 SqFt		
Section:	01 of 3		From:	APRON1				To:	RW1-01		Last Const.:	9/30/1964	
Surface:	PCC		Family:	NDA-PCC-TAXIWAY-R		Zone:	E		Category:	R		Rank:	P
Area:	18,330 SqFt		Length:	611 Ft		Width:	30 Ft						
Slabs:	92		Slab Length:	13 Ft		Slab Width:	15 Ft		Joint Length:	2,936 Ft			
Shoulder:			Street Type:			Grade:	0		Lanes:	0			
Section Comments:													
Last Insp. Date:	6/22/2023		TotalSamples:	5		Surveyed:	5						
Conditions:	PCI: 78												
Inspection Comments:													
Sample Number:	001		Type:	R		Area:	20.00 Slabs		PCI:	56			
Sample Comments:													
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
65	JT SEAL DMG		L	20.00 Slabs									
66	SMALL PATCH		L	1.00 Slabs									
74	JOINT SPALL		M	1.00 Slabs									
Sample Number:	002		Type:	R		Area:	20.00 Slabs		PCI:	98			
Sample Comments:													
65	JT SEAL DMG		L	20.00 Slabs									
Sample Number:	003		Type:	R		Area:	20.00 Slabs		PCI:	71			
Sample Comments:													
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		L	1.00 Slabs									
63	LINEAR CR		M	1.00 Slabs									
65	JT SEAL DMG		L	20.00 Slabs									
74	JOINT SPALL		L	1.00 Slabs									
74	JOINT SPALL		H	1.00 Slabs									
Sample Number:	004		Type:	R		Area:	20.00 Slabs		PCI:	79			
Sample Comments:													
63	LINEAR CR		L	1.00 Slabs									
65	JT SEAL DMG		L	20.00 Slabs									
74	JOINT SPALL		L	1.00 Slabs									
74	JOINT SPALL		H	1.00 Slabs									
Sample Number:	005		Type:	R		Area:	12.00 Slabs		PCI:	93			
Sample Comments:													
65	JT SEAL DMG		L	12.00 Slabs									
66	SMALL PATCH		L	1.00 Slabs									
66	SMALL PATCH		L	1.00 Slabs									
74	JOINT SPALL		L	1.00 Slabs									

Network:	CEK		Name:		CRETE							
Branch:	CRTT1		Name:	CONNECTING TAXIWAY		Use:	TAXIWAY	Area:	86,537 SqFt			
Section:	02 of 3		From:	TW1-01 EXPANSION		To:	RW1-03		Last Const.:	7/26/1997		
Surface:	PCC		Family:	NDA-PCC-TAXIWAY-R		Zone:	E		Category:	R	Rank:	P
Area:	14,207 SqFt		Length:	156 Ft		Width:	65 Ft					
Slabs:	171		Slab Length:	13 Ft		Slab Width:	12 Ft		Joint Length:	1,435 Ft		
Shoulder:			Street Type:			Grade:	0		Lanes:	0		
Section Comments:												
Last Insp. Date:	6/22/2023		TotalSamples:	5		Surveyed:	5					
Conditions:	PCI: 92											
Inspection Comments:												
Sample Number:	001		Type:	R		Area:	20.00 Slabs		PCI:	82		
Sample Comments:												
62	CORNER BREAK		L	1.00 Slabs								
63	LINEAR CR		L	1.00 Slabs								
63	LINEAR CR		L	1.00 Slabs								
63	LINEAR CR		L	1.00 Slabs								
65	JT SEAL DMG		L	20.00 Slabs								
73	SHRINKAGE CR		N	1.00 Slabs								
Sample Number:	002		Type:	R		Area:	20.00 Slabs		PCI:	98		
Sample Comments:												
65	JT SEAL DMG		L	20.00 Slabs								
Sample Number:	003		Type:	R		Area:	25.00 Slabs		PCI:	87		
Sample Comments:												
65	JT SEAL DMG		L	25.00 Slabs								
74	JOINT SPALL		H	1.00 Slabs								
Sample Number:	004		Type:	R		Area:	20.00 Slabs		PCI:	96		
Sample Comments:												
65	JT SEAL DMG		L	20.00 Slabs								
74	JOINT SPALL		L	1.00 Slabs								
Sample Number:	005		Type:	R		Area:	20.00 Slabs		PCI:	98		
Sample Comments:												
65	JT SEAL DMG		L	20.00 Slabs								

Network:	CEK		Name:		CRETE					
Branch:	CRTT1		Name:	CONNECTING TAXIWAY		Use:	TAXIWAY	Area:	86,537 SqFt	
Section:	03 of 3		From:	APRON1-04		To:	RW17/35		Last Const.:	7/26/1997
Surface:	PCC		Family:	NDA-PCC-TAXIWAY-R		Zone:	E		Category:	R Rank: P
Area:	54,000 SqFt		Length:	1,540 Ft		Width:	35 Ft			
Slabs:	400		Slab Length:	13 Ft		Slab Width:	12 Ft		Joint Length:	7,356 Ft
Shoulder:			Street Type:			Grade:	0		Lanes:	0
Section Comments:										
Last Insp. Date:	6/22/2023		TotalSamples:	17		Surveyed:	7			
Conditions:	PCI: 93									
Inspection Comments:										
Sample Number:	002		Type:	R		Area:	21.00 Slabs		PCI:	62
Sample Comments:										
65	JT SEAL DMG		M	21.00 Slabs						
71	FAULTING		H	1.00 Slabs						
71	FAULTING		H	1.00 Slabs						
71	FAULTING		H	1.00 Slabs						
Sample Number:	004		Type:	R		Area:	21.00 Slabs		PCI:	98
Sample Comments:										
65	JT SEAL DMG		L	21.00 Slabs						
Sample Number:	007		Type:	R		Area:	21.00 Slabs		PCI:	100
Sample Comments:										
<No Distress>										
Sample Number:	010		Type:	R		Area:	21.00 Slabs		PCI:	92
Sample Comments:										
63	LINEAR CR		L	1.00 Slabs						
63	LINEAR CR		L	1.00 Slabs						
Sample Number:	011		Type:	R		Area:	21.00 Slabs		PCI:	100
Sample Comments:										
<No Distress>										
Sample Number:	014		Type:	R		Area:	21.00 Slabs		PCI:	100
Sample Comments:										
<No Distress>										
Sample Number:	016		Type:	R		Area:	21.00 Slabs		PCI:	98
Sample Comments:										
65	JT SEAL DMG		L	21.00 Slabs						

Network:	CEK	Name:	CRETE							
Branch:	CRTT2	Name:	RWY 35 TURN AROUND		Use:	TAXIWAY	Area:	104,724 SqFt		
Section:	01	of	3	From:	RW END 35		To:	T2-02	Last Const.:	8/11/1987
Surface:	PCC	Family:	NDA-PCC-TAXIWAY-R		Zone:	E	Category:	R	Rank:	S
Area:	7,256 SqFt		Length:	198 Ft		Width:	35 Ft			
Slabs:	48	Slab Length:	12 Ft		Slab Width:	12 Ft		Joint Length:	925 Ft	
Shoulder:	Street Type:		Grade:		0		Lanes:	0		
Section Comments:										
Last Insp. Date:	6/22/2023		TotalSamples:	2		Surveyed:	2			
Conditions:	PCI:	74								
Inspection Comments:										
Sample Number:	001	Type:	R	Area:	24.00 Slabs		PCI:	74		
Sample Comments:										
63	LINEAR CR		M	1.00 Slabs						
63	LINEAR CR		M	1.00 Slabs						
63	LINEAR CR		M	1.00 Slabs						
65	JT SEAL DMG		L	24.00 Slabs						
67	LARGE PATCH		L	1.00 Slabs						
Sample Number:	002	Type:	R	Area:	24.00 Slabs		PCI:	75		
Sample Comments:										
63	LINEAR CR		M	1.00 Slabs						
63	LINEAR CR		M	1.00 Slabs						
63	LINEAR CR		H	1.00 Slabs						
65	JT SEAL DMG		L	24.00 Slabs						


Network:	CEK			Name:	CRETE								
Branch:	CRTT2		Name:	RWY 35 TURN AROUND		Use:	TAXIWAY	Area:	104,724 SqFt				
Section:	02 of 3		From:	T2-01			To:	R2-01		Last Const.:	5/8/2009		
Surface:	PCC		Family:	NDA-PCC-TAXIWAY-R		Zone:	E		Category:	R		Rank:	S
Area:	87,573 SqFt		Length:	2,215 Ft		Width:	35 Ft						
Slabs:	886		Slab Length:	10 Ft		Slab Width:	9 Ft		Joint Length:	14,363 Ft			
Shoulder:			Street Type:			Grade:	0		Lanes:	0			
Section Comments:													
Last Insp. Date:	6/22/2023		TotalSamples:	49		Surveyed:	8						
Conditions:	PCI: 97												
Inspection Comments:													
Sample Number:	004		Type:	R		Area:	20.00 Slabs		PCI:	98			
Sample Comments:													
65	JT SEAL DMG		L	20.00		Slabs							
Sample Number:	013		Type:	R		Area:	20.00 Slabs		PCI:	98			
Sample Comments:													
65	JT SEAL DMG		L	20.00		Slabs							
Sample Number:	020		Type:	R		Area:	20.00 Slabs		PCI:	98			
Sample Comments:													
65	JT SEAL DMG		L	20.00		Slabs							
Sample Number:	023		Type:	R		Area:	20.00 Slabs		PCI:	100			
Sample Comments:													
<No Distress>													
Sample Number:	029		Type:	R		Area:	20.00 Slabs		PCI:	100			
Sample Comments:													
<No Distress>													
Sample Number:	032		Type:	R		Area:	20.00 Slabs		PCI:	96			
Sample Comments:													
75	CORNER SPALL		L	1.00		Slabs							
75	CORNER SPALL		L	1.00		Slabs							
Sample Number:	039		Type:	R		Area:	20.00 Slabs		PCI:	96			
Sample Comments:													
75	CORNER SPALL		L	1.00		Slabs							
75	CORNER SPALL		L	1.00		Slabs							
Sample Number:	048		Type:	R		Area:	15.00 Slabs		PCI:	85			
Sample Comments:													
63	LINEAR CR		L	1.00		Slabs							
65	JT SEAL DMG		M	15.00		Slabs							
75	CORNER SPALL		L	1.00		Slabs							

Network:	CEK	Name:	CRETE							
Branch:	CRTT2	Name:	RWY 35 TURN AROUND		Use:	TAXIWAY	Area:	104,724 SqFt		
Section:	03	of	3	From:	R2-01		To:	T1-03	Last Const.:	5/8/2009
Surface:	PCC	Family:	NDA-PCC-TAXIWAY-R		Zone:	E	Category:	R	Rank:	S
Area:	9,895 SqFt		Length:	272 Ft		Width:	35 Ft			
Slabs:	109	Slab Length:	10 Ft		Slab Width:	9 Ft		Joint Length:	1,733 Ft	
Shoulder:	Street Type:				Grade:	0		Lanes:	0	
Section Comments:										
Last Insp. Date:	6/22/2023		TotalSamples:	5		Surveyed:	5			
Conditions:	PCI:	100								
Inspection Comments:										
Sample Number:	001	Type:	R	Area:	20.00 Slabs		PCI:	100		
Sample Comments:										
<No Distress>										
Sample Number:	002	Type:	R	Area:	20.00 Slabs		PCI:	100		
Sample Comments:										
<No Distress>										
Sample Number:	003	Type:	R	Area:	19.00 Slabs		PCI:	100		
Sample Comments:										
<No Distress>										
Sample Number:	004	Type:	R	Area:	20.00 Slabs		PCI:	98		
Sample Comments:										
75	CORNER SPALL		L	1.00 Slabs						
Sample Number:	005	Type:	R	Area:	20.00 Slabs		PCI:	100		
Sample Comments:										
<No Distress>										

CEK (Crete NE) Apron

Branch A1 Section 1

PCI 1952 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Apron

Branch A1 Section 2

PCI 1964 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Apron

Branch A1 Section 3

PCI 1975 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Apron

Branch A1 Section 4

PCI 1997 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Runway

Branch R1 Section 1

PCI 1964 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Runway

Branch R1 Section 2

PCI 1975 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Runway

Branch R1 Section 3

PCI 1975 -- 2023



Legend



Major




Global



Localized




Inspection



CEK (Crete NE) Runway

Branch R1 Section 4

PCI 1987 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Runway

Branch R1 Section 5

PCI 1987 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Runway

Branch R2 Section 1

PCI 2009 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Taxiway

Branch T1 Section 1

PCI 1964 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Taxiway

Branch T1 Section 2

PCI 1997 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Taxiway

Branch T1 Section 3

PCI 1997 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Taxiway

Branch T2 Section 1

PCI 1987 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Taxiway

Branch T2 Section 2

PCI 2009 -- 2023




Legend

Major

Global

Localized


Inspection



CEK (Crete NE) Taxiway

Branch T2 Section 3

PCI 2009 -- 2023



Legend

Major

Global

Localized

Inspection

