

CITY OF CRETE, NEBRASKA
CITY COUNCIL REGULAR MEETING

April 20, 2021

Notice of the meeting was given by posting and publishing in The Crete News, the appointed method for giving notice as shown by the Proof of Publication attached to the minutes. Advance notice of the meeting was also given to the Mayor and City Council. Pursuant to Section 84-1412(8) of the Nebraska Open Meetings Act, the City has posted a current copy of the Open Meetings Act, Laws of the State of Nebraska in the back of the Council Chambers. Additional copies are available to read. The City may consider items listed on the agenda in random order. All proceedings shown were taken while the meeting was open to the attendance of the public.

Those in attendance pledged allegiance to the flag.

1. Open Meeting

2. Roll Call

Brian Carnes:	Absent
Ryan Hinz:	Absent
Travis Sears:	Absent
Kyle Frans:	Present
Jack Oelschlager:	Present
Dale Strehle:	Present
Present: 3, Absent: 3.	

3. Items of Business

A. Discuss and provide a recommendation to the City Council on the bid for the Wildwood Pool Splashpad.

Make a recommendation to the City Council to approve the value engineering recommendation with the Waterplay equipment, reducing the bid for the splash pad replacement by \$30,500. Carried with a motion by Jack Oelschlager and a second by Dale Strehle.

Kyle Frans: Aye, Jack Oelschlager: Aye, Dale Strehle: Aye
Aye: 3, No: 0

The engineer for the splash pad replacement was on the phone to discuss the options. Discussion about the number of slides and appearance of the equipment led to the recommendation to use the Waterplay equipment.

4. Officers' Reports

There was discussion about the use of the soccer field at the Armory Park. There is a need for more soccer fields.

5. Adjournment

Mayor

(SEAL)

City Clerk

I, Judi Meyer, City Clerk for the City of Crete, hereby certify that the foregoing is a true and correct copy of the proceedings had and done by the Mayor and Council. I hereby certify that a copy of the Open Meetings Act was posted in the back of the Council Chambers. I certify that all of the subjects included in the foregoing proceedings were contained in the agenda for the meeting, kept continually current and available for public inspection at the office of the City Clerk. I certify that such subjects were contained in said agenda for at least twenty-four hours prior to said meeting and that at least one copy of all reproducible material discussed at the meeting was available at the meeting for examination and copying by members of the public. I certify that the minutes were in written form and available for public inspection within ten working days and prior to the next convened meeting of the City Council. I certify that all news media requesting notification concerning meetings of the City Council were provided with advance notification of the time and place of said meeting and the subjects to be discussed.

City Clerk

(S E A L)



13680 South 220th Street Gretna, NE 68028
Office Phone: (402) 332-4537 Fax: (402) 332-2881
Mobile Phone: Bodie (402) 670-8506

Wildwood Pool Crete, NE Deduction List/Options

Reuse existing 8" Drain Line	Deduct \$ 24,500
Waterplay (Crouch Recreation) -no controller -264 gallons a minute	Deduct \$ 6,000
Vortex Design (CRS) -with no controller -280 gallons a minute	Deduct \$ 6,000
Splashtacular Design with lower flow	Not submitting




Wildwood Pool – Crete, NE

April, 2021



COMMERCIAL RECREATION SPECIALISTS



**COMMERCIAL
RECREATION
SPECIALISTS**

Quote

Quote Number: 0016938
Quote Date: 4/6/2021

Commercial Recreation Specialists
 807 Liberty Dr., Ste 101
 Verona, WI 53593-9160
 Ph: (877) 896-8442 Fx: (608) 848-8782
 43-2046045

Bill To :
Dostals Construction 13680 South 220th Street Gretna, NE 68028

Ship To :
Dostals Construction Willdwood Pool - Crete, NE 13680 South 220th Street Gretna, NE 68028

Customer ID	Customer PO Number	Sales Rep Name
DOSTALS CONSTRUCTION		Patrick Pierce
Valid Through	Shipping Method	Payment Terms
5/6/2021	BEST WAY	SEE BELOW

Item	Description	Quantity	Unit Cost	Amount
VO VOR-8537.0000	Wildwood Pool - Crete, NE Custom Elevation 01	1.00	99,000.00	99,000.00
/FREIGHT	Freight and Packaging	1.00	6,000.00	6,000.00

Note: This quote is valid for 30 days. Please review the above information carefully. It defines your order as we understand it. If satisfactory, please sign and date below and fax to 608-848-8782, email back to your sales representative, or send a copy with your deposit to the address above. We will begin processing your order upon receipt of both your DEPOSIT AND APPROVAL SIGNATURE, per the terms indicated on your quote above. Additional surcharges may apply depending on final delivery address, actual delivery requirements and payment method. Please note that a 3% convenience fee may apply to credit card orders.

Net Order: 105,000.00
 Freight: 0.00
 Sales Tax: 0.00
Order Total: 105,000.00

Customer Acceptance: _____ Date: _____



COMMERCIAL RECREATION SPECIALISTS



Vortex Splash Pad's Notes, Exclusions, & Terms

Notes

- Off-Loading may require equipment
- Standard Lead Times are 6 – 8 weeks for Play Products, 10 weeks for Water Recirculation Equipment and 16 weeks for Elevations

Exclusions


- Receiving
- Off-Loading
- Storage
- Installation
- Fees and Permits
- Health Depart Approval and OSHA Paperwork
- Electrical and Plumbing
- Excavation
- Site Work and Site Restoration
- Surfacing
- Stamped Drawings

Terms:

- 50% due upon acceptance of this quote
- 50% remaining due upon receiving of materials




Colored concrete and environment are for illustration purposes only and not supplied by Vortex. Not for construction. Actual colors and textures of products and materials may appear differently than pictured.



Colored concrete and environment are for illustration purposes only and not supplied by Vortex. Not for construction. Actual colors and textures of products and materials may appear differently than pictured.





Colored concrete and environment are for illustration purposes only and not supplied by Vortex. Not for construction. Actual colors and textures of products and materials may appear differently than pictured.



- 4 Decks on an iconic custom Elevation
- 13 Interactive water features with a variety of water effects
- 2 Waterslides. Parallel flumes promote race experiences
- 1 Iconic TwinSplash dumping feature
- ✓ Unique custom design
- ✓ Decorative elements with Seeflow™ technology creating colorful shadows
- ✓ Several cannons with different effects and play experiences
- ✓ ADA accessible entry

ELEVATIONS LEGEND

WATER ANCHORS = 2
DECKS = 4
WATER PLAY FEATURES= 13
WATERSLIDES = 2
TOTAL FLOW = 350 gpm (1325 lpm)
MAX USER CAPACITY = 110 users




5' Spray-free buffer area is recommended around the structure

IMPORTANT


Client to provide Vortex with CAD and/or "As Built" drawings to establish the pool floor slope. If this is impossible, client will need to provide site dimensions that identify various depths at the Elevations structure location.

Failure to provide this information will cause delays in completing the submittal documents, fabrications drawings and may delay product delivery. Inaccurate information may cause additional site work at client's expense.

This proposal was made using PDF file: (S-191222- Crete Splash Pad-2-13-2020)





Minimum User Height for waterslides: 36" (0.90m)



PRELIMINARY - NOT FOR CONSTRUCTION

THE DIMENSIONS CONTAINED HERE IN ARE A RESULT OF INITIAL SITE INFORMATION THAT WAS PROVIDED DURING THE PRELIMINARY DESIGN PROCESS. WHILE EVERY ATTEMPT HAS BEEN MADE TO ASSURE ACCURACY, FINAL CONSTRUCTION DRAWING DIMENSIONS MAY VARY.



Interactive, easy-to-reach play elements and exciting water effects both on and off the structure create exciting adventures for waterplayers of all ages.

SLIDES 2 NAUTICAL

WATER FEATURES 13

LENGTH / WIDTH	35'5" x 33'5" (18.8m x 10.2m)
TOTAL HEIGHT	14'8" (4.51m)
ELEVATED PLAY AREA	90ft ² (8.4m ²)
DECK HEIGHT	4' (1.22m) OCTO
TOTAL WATER FLOW	264 GPM (999 LPM)

Stairs and transfer stations not included in elevated play area calculation. See Specification Sheet for product data.

DISCOVERY SERIES N150

0010-6322

PRODUCT LINE Activity Towers

CATEGORY Discovery Series

PLAY OPPORTUNITIES

A perfect setting to make new discoveries and engage in immersive play, the Discovery Series Signature Designs fit easily into any project. 4' (1.2m) deck heights invite fun for all ability levels.

SIGNATURE FEATURES



4' SINGLE WAVE FLUME
(0010-2084)



TURTLE PANEL SPLASHER
(0010-2801)



TOWER SOAKER
(0010-2015)

PLAY-BASED LEARNING



COGNITIVE



SOCIAL



PHYSICAL



CREATIVE

Play is fundamental in childhood development, health and wellbeing. Waterplay products are designed using research that supports cognitive, social and emotional, creative and physical growth. The above icons represent the leading attributes associated with this play feature.

PLAY ZONES

DEVELOPMENT

DISCOVERY

EXPLORATION

ADVENTURE

playCONNECT™

Detachable Feature Mounting System

INSTALLATION


Zero-depth/Wading Pool/Sloped Surfaces

- ✓ Inclusive Design
- ✓ ADA Accessible
- ✓ ASTM Safety Standards

waterplay® solutions corp.

1.800.590.5552 (USA & CAN) | +1 (250) 712.3393 (INTL)
info@waterplay.com | www.waterplay.com

LIST OF MATERIALS / LISTE DE MATÉRIAUX (IF / SI APPLICABLE)	
BASE MATERIAL / MATÉRIEL	304 STAINLESS STEEL / ACIER INOXYDABLE
NOZZLES / BUSES	ACETAL / ACÉTAL, URETHANE / URÉTHANE
PANELS / PANNEAUX	ACRYLIC / ACRYLIQUE, ALUMINUM / ALUMINIUM



THIS RENDER IS AN ARTIST'S REPRESENTATION OF THE PRODUCT AND USES PANEL GRAPHICS AND COLOUR SELECTIONS THAT MAY DIFFER FROM THE FINAL PRODUCT. PANEL GRAPHICS (0010-6344) APPEAR SEPARATELY ON QUOTE.

CET IMAGE EST UNE REPRÉSENTATION ARTISTIQUE ET UTILISE DES GRAPHIQUES SUR LES PANNEAUX ET DES SÉLECTIONS DE COULEURS QUI PEUVENT DIFFÉRER DU PRODUIT FINAL. GRAPHIQUES DU PANNEAU (0010-6344) APPARAÎSSENT SÉPARÉMENT SUR LE DEVIS.

FOOTING BY OTHER, REFER TO LOCAL CODE / BASE DE BÉTON PAR D'AUTRES, SE RÉFÉRER AU CODE LOCAL

RECOMMENDED SPRAY AREA / ZONE D'ASPERSION POTENTIELLE			FLOW RATE / DÉBIT D'EAU		COMPONENT INCLUDES: (IF REQUIRED) / INCLUS AVEC LE JEU (SI REQUISE) -SERVICE TOOLS / OUTILS -SPRAY NOZZLES / BUSES DE PERFORMANCE	INITIAL:	
R (ft/mm)	L (ft/mm)	W (ft/mm)	GPM/LPM	PSI/kPa		DRAWING ID:	SHEET: 1
-/-	-/-	-/-	264/999	-/-	DIMENSIONAL ACCURACY / PRÉCISION DIMENSIONNELLE +/- 1" [25mm]	0010-6322	OF: 3
NOZZLES / BUSES			MASS:				



805 CROWLEY AVE.
KELOWNA, BRITISH COLUMBIA
CANADA, V1Y 7G6
P: 250-712-3393 F: 250-861-4814
E: design@waterplay.com W: waterplay.com


ALL PLANS AND DESIGNS AT ALL TIMES REMAIN THE PROPERTY OF THE WATERPLAY AND CANNOT BE USED OR REPRODUCED WITHOUT WRITTEN PERMISSION.

TOUS LES PLANS ET DESSINS QUE WATERPLAY ONT CONÇUS, LEUR APPARTIENNENT ET NE PEUVENT ÊTRE UTILISÉS OU REPRODUITS SANS AVOIR UNE PERMISSION ÉCRITE DE LEUR PART.

NOTE: REFER TO THE COMPONENT WRITTEN SPECIFICATION DOCUMENT FOR COMPLETE PRODUCT SPECIFICATIONS. WATERPLAY RESERVES THE RIGHT TO CHANGE THIS SPECIFICATION WITHOUT NOTICE.


SE RÉFÉRER AU DOCUMENT DE SPÉCIFICATION ÉCRIT POUR LES DÉTAILS COMPLET DU PRODUIT. WATERPLAY A LE DROIT DE CHANGER CES DERNIERS SANS PRÉAVIS.

PART ID	DESCRIPTION	QTY	PART ID	DESCRIPTION	QTY
0002-4930	SAFETY MAT, 60" X 96" X 2"	1	0010-2801	TURTLE-PS ASSY	1
0010-0485	FUNBRELLA INSTALL	1	0010-2930	ANCHOR CANNON ASSY	1
0010-0937	BOBBLE NOZZLE ASSY	1	0010-2943	WATER BROLLY ASSY	1
0010-1083	SUPPORT COLUMN WELD ASSY, 48" D.H	8	0010-2989	RAILING PANEL KIT	2
0010-2015	TOWER SOAKER ASSY 48" D.H	1	0010-3136	WATERNOOK ASSY, 4ft OCTO	2
0010-2041	COLUMN PLUG ASSY	2	0010-3244	ANGLED STAIR ASSY 48" LH	1
0010-2084	4' SP POLY WAVE FLUME ASSY	1	0010-3668	4' OCTODECK OUTER COLUMN JIG	1
0010-2103	4' OCTODECK NETTING KIT	5	0010-3713	PLAY POD 4FT - OCTO	1
0010-2351	FISHIN' POLE ASSY	1	0010-4005	WHIRLWIND ASSY	1
0010-2362	OGO ASSY	1	0010-4568	4' ANGLED STAIR NETTING KIT OCTO	1
0010-2798	BEACH BALL-PS ASSY	1	0010-6393	AT FLUME 4 ft CLOSED RUNOUT WMI	1
0010-2799	DOLPHIN-PS ASSY	1			



805 CROWLEY AVE.
 KELOWNA, BRITISH COLUMBIA
 CANADA, V1Y 2A3
 P: 250-712-3393 F: 250-861-4814
 E: design@waterplay.com W: waterplay.com

DRAWING ID: **0010-6322** SHEET: 2
 OF: 3



TOWER SOAKER ASSY 48" D.H

WATERNOOK ASSY, 4ft OCTO

ANCHOR CANNON ASSY

DOLPHIN-PS ASSY

WATER BROLLY ASSY

WATERNOOK ASSY, 4ft OCTO

BOBBLE NOZZLE ASSY

OGO ASSY

FUNBRELLA INSTALL

BEACH BALL-PS ASSY

TURTLE-PS ASSY

WHIRLWIND ASSY

FISHIN' POLE ASSY




805 CROWLEY AVE.
 KELOWNA, BRITISH COLUMBIA
 CANADA, V1Y 2A3
 P: 250-712-3393 F: 250-861-4814
 E: design@waterplay.com W: waterplay.com

DRAWING ID:	0010-6322	SHEET: 3
		OF: 3

**NOT FOR CONSTRUCTION
PURPOSES**

NOTES:

1. MAIN AQUATIC PLAY PAD AREA: 2224 SQ
TOTAL AREA, INCLUDING OVERSPRAY ZONE: 2819 SQ
2. TO AVOID POTENTIAL DAMAGE TO SURROUNDING SOFTSCAPE AND TO KEEP PEDESTRIAN TRAFFIC FROM GETTING WET, WATERPLAY RECOMMENDS A MINIMUM OVERSPRAY OF 2.44 METRES (8'). FOR AREAS WITH HIGH WINDS, A LARGER OVERSPRAY ZONE MAY BE REQUIRED.
3. GRADE SURROUNDING OUTSIDE PERIMETER LANDSCAPE TO PROVIDE ADDITIONAL DRAINAGE AWAY FROM OVERSPRAY PAD.
4. SLOPES (INCLUDING MAIN AND OVERSPRAY AREAS) TO PROVIDE POSITIVE DRAINAGE TO DRAINS. IF CODE REQUIRES THAT THERE BE A ZONE SLOPING AWAY FROM THE MAIN AREA, WATERPLAY RECOMMENDS AN ADDITIONAL DRY ZONE TO MEET THAT REQUIREMENT.
5. SLAB GRADES SUBJECT TO ENGINEER APPROVAL (NOTE ADA MAX CROSS SLOPE GRADE IS 2%).



IMPERIAL

60 x 95

FOR INFORMATIONAL PURPOSES ONLY.
LOCAL
LANDSCAPE ARCHITECT, ENGINEER AND/OR
APPROPRIATE AUTHORITIES HAVING
JURISDICTION MUST COMPLETE ALL PARK
LAYOUT, MECHANICAL & ELECTRICAL
DESIGN PRIOR TO CONSTRUCTION.

DESIGNED IN:

WATERPLAY INTERACTIVE

DESIGNED BY:

**Waterplay Solutions
Corp.**

1:291

2021-03-17

**Wildwood Pool Play Structure,
Crete, NE**



805 Avenue, Kelowna BC
Canada V1Y 7G6
TEL. (250) 712-3393 FAX (250) 861-4814

info@waterplay.com

IMPERIAL

12 x 36

FOR INFORMATIONAL PURPOSES ONLY.
LOCAL
LANDSCAPE ARCHITECT, ENGINEER AND/OR
APPROPRIATE AUTHORITIES HAVING
JURISDICTION MUST COMPLETE ALL PARK
LAYOUT, MECHANICAL & ELECTRICAL
DESIGN PRIOR TO CONSTRUCTION.

DESIGNED IN:
WATERPLAY INTERACTIVE

DESIGNED BY:
Waterplay Solutions
~~Waterplay Solutions~~
Corp.

1:291


2021-03-17

Wildwood Pool Play Structure,
Crete, NE



805 Avenue, Kelowna BC
Canada V1Y 7G6
TEL. (250) 712-3393 FAX (250) 861-4814
info@waterplay.com

**NOT FOR CONSTRUCTION
PURPOSES**



CODE	SKU	COMPONENT NAME	QTY
1	0010-6322	Discovery Series N150	1

IMPERIAL

60 x 60


FOR INFORMATIONAL PURPOSES ONLY.
 LOCAL
 LANDSCAPE ARCHITECT, ENGINEER AND/OR
 APPROPRIATE AUTHORITIES HAVING
 JURISDICTION MUST COMPLETE ALL PARK
 LAYOUT, MECHANICAL & ELECTRICAL
 DESIGN PRIOR TO CONSTRUCTION.

DESIGNED IN:
WATERPLAY INTERACTIVE

DESIGNED BY:
 Waterplay Solutions
 Corp.

1:152 2021-03-17

**NOT FOR CONSTRUCTION
 PURPOSES**



Wildwood Pool Play Structure,
 Crete, NE




805 Avenue, Kelowna BC
 Canada V1Y 7G6
 TEL. (250) 712-3393 FAX (250) 861-4814
 info@waterplay.com

**NOT FOR CONSTRUCTION
PURPOSES**

NOTES:

1. MAIN AQUATIC PLAY PAD AREA: 422 SQ
TOTAL AREA, INCLUDING OVERSPRAY ZONE: 0 SQ
2. TO AVOID POTENTIAL DAMAGE TO SURROUNDING SOFTSCAPE AND TO KEEP PEDESTRIAN TRAFFIC FROM GETTING WET, WATERPLAY RECOMMENDS A MINIMUM OVERSPRAY OF 2.44 METRES (8'). FOR AREAS WITH HIGH WINDS, A LARGER OVERSPRAY ZONE MAY BE REQUIRED.
3. GRADE SURROUNDING OUTSIDE PERIMETER LANDSCAPE TO PROVIDE ADDITIONAL DRAINAGE AWAY FROM OVERSPRAY PAD.
4. SLOPES (INCLUDING MAIN AND OVERSPRAY AREAS) TO PROVIDE POSITIVE DRAINAGE TO DRAINS. IF CODE REQUIRES THAT THERE BE A ZONE SLOPING AWAY FROM THE MAIN AREA, WATERPLAY RECOMMENDS AN ADDITIONAL DRY ZONE TO MEET THAT REQUIREMENT.
5. SLAB GRADES SUBJECT TO ENGINEER APPROVAL (NOTE ADA MAX CROSS SLOPE GRADE IS 2%).



IMPERIAL

12 x 36

FOR INFORMATIONAL PURPOSES ONLY.
LOCAL
LANDSCAPE ARCHITECT, ENGINEER AND/OR
APPROPRIATE AUTHORITIES HAVING
JURISDICTION MUST COMPLETE ALL PARK
LAYOUT, MECHANICAL & ELECTRICAL
DESIGN PRIOR TO CONSTRUCTION.

DESIGNED IN:

WATERPLAY INTERACTIVE

DESIGNED BY:

**Waterplay Solutions
Corp.**

1:112

2021-03-17

**Wildwood Pool Play Structure,
Crete, NE**




805 Avenue, Kelowna BC
Canada V1Y 7G6
TEL. (250) 712-3393 FAX (250) 861-4814

info@waterplay.com

**NOT FOR CONSTRUCTION
PURPOSES**

NOTES:

1. MAIN AQUATIC PLAY PAD AREA: 1803 SQ
TOTAL AREA, INCLUDING OVERSPRAY ZONE: 2819 SQ
2. TO AVOID POTENTIAL DAMAGE TO SURROUNDING SOFTSCAPE AND TO KEEP PEDESTRIAN TRAFFIC FROM GETTING WET, WATERPLAY RECOMMENDS A MINIMUM OVERSPRAY OF 2.44 METRES (8'). FOR AREAS WITH HIGH WINDS, A LARGER OVERSPRAY ZONE MAY BE REQUIRED.
3. GRADE SURROUNDING OUTSIDE PERIMETER LANDSCAPE TO PROVIDE ADDITIONAL DRAINAGE AWAY FROM OVERSPRAY PAD.
4. SLOPES (INCLUDING MAIN AND OVERSPRAY AREAS) TO PROVIDE POSITIVE DRAINAGE TO DRAINS. IF CODE REQUIRES THAT THERE BE A ZONE SLOPING AWAY FROM THE MAIN AREA, WATERPLAY RECOMMENDS AN ADDITIONAL DRY ZONE TO MEET THAT REQUIREMENT.
5. SLAB GRADES SUBJECT TO ENGINEER APPROVAL (NOTE ADA MAX CROSS SLOPE GRADE IS 2%).



IMPERIAL

60 x 60

FOR INFORMATIONAL PURPOSES ONLY.
LOCAL
LANDSCAPE ARCHITECT, ENGINEER AND/OR
APPROPRIATE AUTHORITIES HAVING
JURISDICTION MUST COMPLETE ALL PARK
LAYOUT, MECHANICAL & ELECTRICAL
DESIGN PRIOR TO CONSTRUCTION.

DESIGNED IN:

WATERPLAY INTERACTIVE

DESIGNED BY:

**Waterplay Solutions
Corp.**

1:223


2021-03-17

**Wildwood Pool Play Structure,
Crete, NE**



805 Avenue, Kelowna BC
Canada V1Y 7G6
TEL. (250) 712-3393 FAX (250) 861-4814

info@waterplay.com



waterplay

805 Avenue, Kelowna BC
Canada V1Y 7G6
P: 250-712-3393 F: 250-861-4814
E: info@waterplay.com W: waterplay.com


ALL PLANS AND DESIGNS AT ALL TIMES REMAIN THE PROPERTY OF THE WATERPLAY AND CANNOT BE USED OR REPRODUCED WITHOUT WRITTEN PERMISSION.

TOUT LES PLANS ET DESSINS QUE WATERPLAY ONT CONÇUS, LEURS APPARTIENNENT ET NE PEUVENT ÊTRE UTILISÉS OU REPRODUITS SANS AVOIR UNE PERMISSION ÉCRITE DE LEUR PART.

NOTE: REFER TO THE COMPONENT WRITTEN SPECIFICATION DOCUMENT FOR COMPLETE PRODUCT SPECIFICATIONS. WATERPLAY RESERVES THE RIGHT TO CHANGE THIS SPECIFICATIONS WITHOUT NOTICE.

REFÉREZ-VOUS AU DOCUMENT DE SPÉCIFICATION ÉCRIT POUR LES DÉTAILS COMPLET DU PRODUIT. WATERPLAY A LE DROIT DE CHANGER CES DERNIERS SANS PRÉAVIS.

PART ID	COMPONENT NAME	QTY	PART ID	COMPONENT NAME	QTY
0010-3668	4 OCTODECK OUTER COLUMN JIG	1	0010-2362	AT OGO	1
0010-3713	AT 4 FT OCT POD	1	0010-2799	AT PS DOLPHIN	1
0010-2015	AT 48IN TOWER SOAKER	1	0010-2903	AT PS SPLASHER	1
0010-2211	AT 4FT H NETTING PANELS	2	0010-2801	AT PS TURTLE	1
0010-4568	AT 4FT O ANGLED STAIR NETTING	1	0010-2989	AT RAILING PANEL KIT	2
0010-2103	AT 4FT O NETTING PANELS	3	0002-4930	AT SAFETY MAT 60IN X 96IN X 2	1
0010-3136	AT 4FT WATERNOOK OCT	2	0010-1083	AT SUPPORT COLUMN 48IN CURVED	8
0010-2930	AT ANCHOR CANNON	1	0010-2943	AT WATER BROLLY	1
0010-3244	AT ANGLED STAIR 48IN LH	1	0010-4005	AT WHIRLWIND	1
0010-0937	AT BOBBLE NOZZLE	1	0010-0485	FS FUN-BRELLA	1
0010-2041	AT COLUMN PLUG	2	0010-5728	Graphic Panel - Upcharge	7
0010-2351	AT FISHIN' POLE	1			
0010-6393	AT FLUME 4 FT WMI	1			
0010-2084	AT FLUME 4FT SP WAVE FLUME	1			





Wildwood Pool Play Structure, Crete, NE

Copyright 2019 Waterplay Solutions Corp. Artist's visual interpretation of the project. Cannot be considered a factual representation of the final product.



Wildwood Pool Play Structure, Crete, NE

Copyright 2019 Waterplay Solutions Corp. Artist's visual interpretation of the project. Cannot be considered a factual representation of the final product.



Wildwood Pool Play Structure, Crete, NE

Copyright 2019 Waterplay Solutions Corp. Artist's visual interpretation of the project. Cannot be considered a factual representation of the final product.



Wildwood Pool Play Structure, Crete, NE

Copyright 2019 Waterplay Solutions Corp. Artist's visual interpretation of the project. Cannot be considered a factual representation of the final product.



Wildwood Pool Play Structure, Crete, NE

Copyright 2019 Waterplay Solutions Corp. Artist's visual interpretation of the project. Cannot be considered a factual representation of the final product.