

CITY OF CRETE, NEBRASKA
CITY COUNCIL REGULAR MEETING
November 2, 2021

Notice of the meeting was given by posting and publishing in The Crete News, the appointed method for giving notice as shown by the Proof of Publication attached to the minutes. Advance notice of the meeting was also given to the Mayor and City Council. Pursuant to Section 84-1412(8) of the Nebraska Open Meetings Act, the City has posted a current copy of the Open Meetings Act, Laws of the State of Nebraska in the back of the Council Chambers. Additional copies are available to read. The City may consider items listed on the agenda in random order. All proceedings shown were taken while the meeting was open to the attendance of the public.

Those in attendance pledged allegiance to the flag.

1. Open Meeting
2. Roll Call

Ryan Hinz: Present
Jack Oelschlager: Present
Dale Strehle: Present
Present: 3.

3. Items of Business

- A. Provide a recommendation to the City Council on awarding the bid for a new ambulance to Danko Emergency Equipment Co. for \$250,790.

Recommend to the City Council to award the bid for a new ambulance to Danko Emergency Equipment Co. for \$250,790. Carried with a motion by Ryan Hinz and a second by Dale Strehle.

Ryan Hinz: Aye, Jack Oelschlager: Aye, Dale Strehle: Aye
Aye: 3, No: 0

Assistant Fire Chief James Yost commented that this bid met all specs and is the same brand of ambulance bought previously. Yost recommends accepting the bid.

- B. Provide a recommendation to the City Council on entering into an agreement with Lincoln/Lancaster County EMS Oversight Authority for EMT training and medical oversight in the amount of \$1,100 per year for 5 years.

Table this item until the next Public Safety Committee meeting. Carried with a motion by Ryan Hinz and a second by Dale Strehle.

Ryan Hinz: Aye, Jack Oelschlager: Aye, Dale Strehle: Aye
Aye: 3, No: 0

Assistant Fire Chief James Yost informed the committee that this is the same oversight authority we've been working with and that they are very knowledgeable and are easy to work with. The city attorney had some concerns about the agreement being 5 years instead of 3 and about the agreement being with the Fire Station and not with the City. Recommendation and approval will be pending those changes to the agreement.

- C. Discuss expansion of the fire station.

City Administrator Tom Ourada reported looking into the funding mechanism for both a new fire station and for just an expansion. The USDA will go out 40 years for the project, not with the City itself, but with an LLC that has City involvement and/or City oversight. This process will take multiple meetings to discuss and come to a decision.

4. Officers' Reports

5. Adjournment

Mayor

(SEAL)

City Clerk-Treasurer

I, Jerry Wilcox, City Clerk for the City of Crete, hereby certify that the foregoing is a true and correct copy of the proceedings had and done by the Mayor and Council. I hereby certify that a copy of the Open Meetings Act was posted in the back of the Council Chambers. I certify that all of the subjects included in the foregoing proceedings were contained in the agenda for the meeting, kept continually current and available for public inspection at the office of the City Clerk. I certify that such subjects were contained in said agenda for at least twenty-four hours prior to said meeting and that at least one copy of all reproducible material discussed at the meeting was available at the meeting for examination and copying by members of the public. I certify that the minutes were in written form and available for public inspection within ten working days and prior to the next convened meeting of the City Council. I certify that all news media requesting notification concerning meetings of the City Council were provided with advance notification of the time and place of said meeting and the subjects to be discussed.

City Clerk-Treasurer

(S E A L)



DANKO EMERGENCY EQUIPMENT Co.
302 East 4th Street • PO Box 218 • Snyder, NE 68664-0218
(402) 568-2200 • Fax (877) 568-2443 • trucksales@danko.net

PROPOSAL FOR FIRE APPARATUS

10/21/2021

TO: City of Crete / Crete Fire and Rescue
Crete, NE

Dear Sirs:

We hereby propose and agree to furnish, after your acceptance of this proposal and the proper execution and approval of the accompanying contract, the following apparatus:

One (1) Demers MXP170 Type I Ambulance installed on a RAM 4500 4 x 4 Chassis,	\$250,790.00
as per specifications	
TOTAL	\$250,790.00

All of which are to be built in accordance with the specifications attached, and which are made a part of this agreement and contract to deliver same by 320-360 calendar days after receipt of signed and accepted contract to deliver same at Danko Emergency Equipment, Co. Proposal subject to all causes beyond our control, for the sum of:

Two hundred fifty thousand seven hundred ninety dollars and no/00-----

(\$ 250,790.00) F.O.B. Snyder, NE.

Terms: To be paid in full at final inspection and delivery in Snyder, NE.

All payments of any nature must be paid directly from the customer to Danko Emergency Equipment Company in Snyder, Nebraska.

The amount named in this proposal shall remain firm for a period of 30 days from the date of same.

Respectfully Submitted
DANKO EMERGENCY EQUIPMENT CO.

We agree to accept the above proposal



Jeff Wegner
Title: Director of Sales and Marketing
Date: 10/21/2021

(Customer Signature)
Title: _____
Date: _____



Specification Summary

Reference: QU0000003155 Rev: 5
 Purchaser: Danko Emergency Equipment
 Contact: Jeff Wegner
 Address: 302 E. 4th Street

Opportunity: City of Crete MXP 170
 Account: City of Crete MXP 170
 Contact: James Yost
 Shipping Address:

Snyder, NE
 USA

Telephone:

Currency: USD
 Quotation Date: 2021-10-21
 Expiration: 2021-11-21

Sales Contact: Jeff Horn
 Mobile: 3085501511
 Phone: 402-568-2200

Factory Contact: David Greenfeld
 Mobile:

Name

Type I - MXP170

Specifications

Overall Length 294" - 311" (747 cm - 790 cm)
 Overall Width 95" (241 cm)
 Overall Height 110" (279 cm)**
 Headroom 72" (183 cm)
 Wheelbase 174" - 192" (442 cm - 488 cm)*
 Payload Capacity Up to 5500 lbs (2495 kg)



*Depending on chassis selection

**Total height of vehicle may differ according to chassis and suspension

Sales Options by Category

10-Base (BAS)

Item Number	Name/Description	Quantity
BAS-BON-11	No Bond Required	1.00
	No Bond Required	
BAS-CER-12	CAAS	1.00
	The intent of the CAAS Standards is to define a "gold standard" for the medical transportation industry of a higher caliber than is typically required for state or local licensing. The revised CAAS Standards—updated to reflect today's emergency medical services environment—are built upon this original intent.	
BAS-GPO-11	No GPO Contract Required	1.00
	No Group Purchasing Organization contract required	
BAS-PLA-12	TYPE I - MXP170	1.00
	TYPE I - MXP170	
BAS-REG-11	United States	1.00
	Sales Administration Charge	



BAS-TYP-11	Type I - Pick up Type I - Pick up	1.00
SR00069548	Chassis Tires Chassis Shall have Max Traction Tires	1.00
SR00069549	Drawings Please Provide Drawings Comments: FEB 19_Added to Queue__RN	1.00
SR00069569	Matching the next truck to D19P-1702 The goal of this build is to have a Matching truck to D19P-1702. So the department will have two Demers ambulances that match.	1.00
SR00085651	Update Drawings Update Drawings	1.00
SR00087795	Up Date Drawings and Specs Up Date Drawings and Specs	1.00

11-Chassis (CH*)

Item Number	Name/Description	Quantity
BAS-CHA-22	Chassis Model year 2022 Chassis Model year 2022	1.00
CHP-RAM-00	Conversion RAM 4500 Chassis Cab Conversion RAM 4500 Chassis Cab	1.00
CHP-RAM-16	Ram 4500 Diesel Chassis Cab 4X4 192.5 Ram 4500 Diesel Chassis Cab 4X4 192.5 6,7L CUMMINS Turbo Diesel Engine Wheelbase 192.5" (4890 mm) GVWR (Gross vehicle weight rating) 16,500 Lbs / 7,486 Kg	1.00
SR00069565	Cahssis Rear wheels to have valve stem extenders installed. Extenders shall allow the use of standard air chuck and pressure gauge.	1.00

12-Suspension (SUS)

Item Number	Name/Description	Quantity
SUS-LIQ-11	LiquidSpring™ Suspension Type I Compressible Liquid Adaptive Suspension System, is a smart suspension systems. Liquid-based struts and an on-board processor provide better handling and control, and a smoother, softer ride. The reduced vehicle vibration increases comfort.	1.00

13-Module (MOD)

Item Number	Name/Description	Quantity
MOD-ALU-14	MXP170 Ambulance Module Ambulance Module Structure / Door Structure and Accessories Included	1.00
SR00069547	Paint Chassis and Module Chassis and module shall be repainted to match Dodge Flame Red_verified by Demers_RN_03MAR	1.00

14-Module Configuration (MCF)

Item Number	Name/Description	Quantity
MCF-CC1-11	C1 Door, ALS Access and Battery Location First door on curbside (C1) for ALS compartment access and battery slide out sealed compartment. (Included)	1.00
MCF-CC2-11	C2, Curbside Entry Door Side entry door on curbside (C2) for patient compartment access, with flush-mounted, automotive-style window.	1.00



MCF-CC3-11	C3 Door, Storage Exterior Compartment Third door on curbside (C3) for backboard or other storage. (Included)	1.00
MCF-CC3-13	Stair Chair Location, Two (2) Adjustable Shelves Stair chair location with two (2) adjustable shelves and retaining safety belt for backboard in C3 compartment.	1.00
MCF-CC3-22	Third door (C3) Compartment In/Out Access Third door (C3) Compartment In/Out Access	1.00
MCF-CML-12	High-Intensity Compartment Tube Lighting High-intensity tube lighting for Compartments. With Side entry Door Steps.	1.00
MCF-ELE-11	E Door, Electrical Exterior Compartment Upper door (E) for electrical panel access. (Included)	1.00
MCF-RDR-11	A1 and A2, Rear Entry Doors, Indiv. Door Handles Two (2) rear entry doors for patient compartment access, each with its individual exterior door handle.	1.00
MCF-SS1-11	S1 Door, Main Oxygen Exterior Compartment First door on streetside (S1) for main vertical oxygen cylinder. (Included)	1.00
MCF-SS2-12	Full-Depth Shelf, One (1), Adjustable One (1) full-depth, adjustable shelf in S2 compartment.	1.00
MCF-SS2-14	Fire Extinguisher, ABC-Rated, 5 lbs, with Bracket Fire extinguisher, 5 lbs, ABC-rated, with heavy duty bracket in S2 compartment.	1.00
MCF-SS2-15	S2 Door, Storage Exterior Comp Second door on streetside (S2) for equipment storage for MX/MXP170. (included)	1.00
MCF-SS3-12	S3 Compartment, Equipment Storage, In/Out Access Third door on streetside (S3) for equipment storage, with interior/exterior access.	1.00
MCF-SS3-21	Stair Chair Holder on Compartment Door Stair chair holder on S3 compartment door.	1.00
MCF-SS3-25	Half-Depth Shelves, Two (2), Adjustable Two (2) half-depth, adjustable shelves in S3 compartment.	1.00

15-Lighting (LGT)

Item Number	Name/Description	Quantity
LGT-FSL-14	Turn Signal Arrows, Amber (2), LED Two (2) amber turn-signal arrows, installed on the front of the module. Whelen M6 series (6 x 4) LED lights.	1.00
LGT-LSL-14	Turn Signal Lights, Amber (2), LED Two (2) amber turn-signal lights, intermediate side mount. Whelen M7 series (7 x 3) LED lights.	1.00
LGT-RSL-18	Third Upper Brake Light, LED Third upper brake light at rear of module. Whelen M6 series (6 x 4) LED light.	1.00
LGT-RSL-23	Mid-Height Lights: Arrow, Brake, Reverse Two (2) amber arrows, two (2) red brake lights, and two (2) reverse lights at mid height. Whelen M6 series LED lights (6 x 4).	1.00
LGT-RSL-28	Rear Step Plate, without Lighting Rear step plate without lighting.	1.00
LGT-TPL-11	Marker Lights, Amber (7) and Red (7), LED Seven (7) front upper center and corner amber LED marker lights. Seven (7) rear upper center and corner red LED marker lights.	1.00
LGT-TPL-12	Marker Lights, Two (2) rear mid-height red LED Two (2) rear mid-height red LED marker lights.	1.00
SR00069566	C1 compartment C1 compartment to have Two(2) LED strip lights in each FA and FC compartments	1.00

16-Emergency and Working Lights (EWL)



Item Number	Name/Description	Quantity
EWL-ACC-11	Clear Lenses Clear lenses.	1.00
EWL-BEZ-11	Chrome bezels Chrome bezels	36.00
EWL-FWD-20	Emergency Lights, Red (3), White (1), Red (3), LED Seven (7) emergency lights installed on the front of the module. Includes three (3) red, one (1) white, and three (3) red. Whelen M9 series (10 x 6) LED lights.	1.00
EWL-GRL-18	Lights in Front Grille, Red (2), LED M7 Two (2) red lights in front grille. Whelen M7 series (7 x 3) LED lights.	1.00
EWL-INT-11	Emergency Lights on Inside of Doors, One (1) each One red emergency light on each compartment and entry door inside panel. Total of eight (8) round LED lights.	1.00
EWL-ITC-14	Intersection Lights, Clear/Red (2), LED Two (2) clear/red intersection lights with turning priority. Whelen M7 series (7 x 3) LED lights.	1.00
EWL-ITC-21	Bezel fiberglass for intersection lights Fiberglass bezel for intersection lights on cabin fenders	1.00
EWL-LTI-12	Emergency Lights, Red (2), LED, Inter. Side Mount Two (2) red emergency lights, intermediate side mount. Whelen M7 series (7 x 3) LED lights.	1.00
EWL-LTS-18	Four (4) red LED lateral emergency lights (M9) Four (4) red lateral emergency lights (two (2) on each side). Whelen M9 series (10 x 6) LED lights.	1.00
EWL-LTS-20	Scene Lights, Four (4), Clear LED, (M9) Four (4) lateral scene lights (two (2) on each side). Whelen M9 series (10 x 6) LED scene lights.	1.00
EWL-RER-17	Emergency Lights, Red (2), LED, Rear Corners Two (2) red rear emergency lights at upper rear corners. Whelen M9 series (10 x 6) LED lights.	1.00
EWL-RER-18	Emergency Lights, Amber (2), LED Two (2) rear upper amber lights. Whelen M6 series (6 x 4) LED lights.	1.00
EWL-RER-19	Loading Lights, Two (2), LED Two (2) rear loading lights. Whelen M6 series (6 x 4) LED lights.	1.00
EWL-RER-20	Emergency Lights, Red (2), LED, Addt'l, Window Hgt Two (2) additional red lights at window height. Whelen M9 series (10 x 6) LED lights.	1.00
SR00069561	Warning lights Warning lights on front of module to be R,W,R,W,R,W,R	1.00
SR00069562	Warning lights All emergency warning lights shall be wired separate and flash randomly	1.00
SR00069563	Front grill lights Front bumper warning lights to be Red/White split	1.00
SR00069564	Intersector Lights and over rear wheel lights Front fender warning lights to be Red/White split (charged_RN) the over the rear wheel warning lights to be red. (standard selected in configurator_RN)	1.00

17-Audible Warning System (WRN)

Item Number	Name/Description	Quantity
WRN-BUA-11	Back-Up Alarm Back up alarm (97dB) with override switch. (Included)	1.00
WRN-SIR-11	Whelen 295SLS Hands-Free Siren Whelen model 295HFSA1 siren amplifier with 17 Scan-Lock™ siren tones.	1.00



WRN-SIR-13	Switch to Mute OEM Horn when Siren Speakers Active Switch to mute the OEM horn when the siren speakers are activated.	1.00
WRN-SPK-11	Whelen SA315 Series Speakers Whelen SA315 series speakers is a compact speaker meeting SAE Class A requirements when paired with Whelen 100 watt siren amplifier.	1.00

18-Exterior Vehicle features (VFT)

Item Number	Name/Description	Quantity
VFT-CHP-13	Rear Tow Hooks Two (2) tow hooks are installed in the rear step plate.	1.00
VFT-FUL-11	Quarter-Tank Fuel Fill Quarter-tank fuel fill.	1.00
VFT-MIR-11	OEM exterior mirrors Keep OEM exterior mirrors	1.00
VFT-MOP-11	Module Rub Rails, Aluminum Aluminium rub rails on module sides. (Included)	1.00
VFT-MOP-12	Module Corner Protectors, Stainless-Steel Stainless-steel protectors on module corners. (Included)	1.00
VFT-MOP-13	Module Wheel Trims, Fiberglass Formed fiberglass wheel trimming on module.(Included)	1.00
VFT-MOP-14	Undercoating Protection Undercoating protection for module and chassis. (Included)	1.00
VFT-MOP-15	Rear Wheel Mud Guards Mud guards on module for rear wheels. (Included)	1.00
VFT-MOP-19	Stainless Steel Protectors Below Fillers Stainless Steel Protectors Below Fillers	1.00
VFT-PLT-11	License Plate with Light Surface mounted license plate location with LED light.	1.00
VFT-STP-11	Cab Steps, Anti-Skid Material with Mud Guards Anti-skid lateral steps. Includes mud guards for front wheels. (Included)	1.00
VFT-STP-12	Rear Step Bumper, Retractable Center Section Anti-skid rear retractable step. Diamond plate corner bumper. Rubber bumperette. (Included)	1.00

19-Convenience (CNV)

Item Number	Name/Description	Quantity
CNV-ACC-13	Valet Switch in Front Grille The door unlock valet switch is located on the back of the front grille, on the driver's side half portion of the grille. It allows to unlock all doors of the vehicle, but cannot lock the doors. (Included)	1.00
CNV-CAM-11	Black Back-Up Camera Zone Defense standard back-up camera with build-in audio support and infra-red night vision.	1.00
CNV-LCK-11	Anti-Theft System The anti-theft allows to leave the vehicle with the keys with the engine running to keep the vehicle at the ideal operating temperature. It protects against theft by running off the engine if the vehicle moves. (Included)	1.00
CNV-LCK-12	ECOSMART Anti-Idling System The ECOSMART Anti-Idling System automatically stops the engine and restarts the engine of the vehicle in idling conditions. The ECOSMART Anti-Idling System is managed by the Demers Electronic Multiplex System (DEMS).	1.00
CNV-LCK-14	Disable EcoSmart Anti-idling Disable EcoSmart Anti-idling	1.00



SR00069556	Center Console Glove holders for 2 boxes at the rear of the cab console Comments: D19P-1702	1.00
SR00069567	Sharps and Waste Additional sharps container with bracket(same as use on the A bar) to be shipped loose	1.00
SR00069573	Dash Camera Install a Dash Camera with record capabilities Comments: ZONEDEFENDER® DRIVER CAMERA (R.AVS.20.1)___RN	1.00

21-Paint and Decals (DEC)

Item Number	Name/Description	Quantity
DEC-PNT-11	Tri-Star Urethane Paint Two (2) coats of primer with two (2) coats of urethane. All four (4) sides and roof. No sanding. No buffing.	1.00

22-Drivers Compartment (CAB)

Item Number	Name/Description	Quantity
CAB-CON-11	Floor-Mounted Console with control Floor-mounted console in front cab.	1.00
CAB-CON-13	Storage for Flare and Fire Extinguisher Storage compartment in front cab for flares and one (1) five-pound (5 lbs) fire extinguisher.	1.00
CAB-CON-14	Armrests, Driver and Passenger, Individual Individual driver- and passenger-side armrests on sides of floor-mounted console.	1.00
CAB-CON-15	Cup Holders, Dual, in Floor-Mounted Console Dual cup holders in floor-mounted console.	1.00
CAB-CTR-13	Control Center with Switches and Touch Pad Control center with switches and LED backlit pictograms in the floor mounted console.	1.00
CAB-LGT-11	Cab headliner with Reading Lights, Red/Clear (2) Two (2) clear and red overhead LED reading lights.	1.00
SR00069560	Street Side Lay out 03MAR_Below SRs for Street Side Layout added to Match drawings_RNOriginal SR:Street side interior layout as per Crete NE drawing 2019-10-22Match D19P1702	1.00
SR00076073	Front Console 10MAR_Config option for Fire Extinguisher and Flare storage cannot be applied due to installation of 2nd radio. Suggest we ship the extinguisher and bracket loose (not box)_RN	1.00

23-Curbside configuration (CRB)

Item Number	Name/Description	Quantity
CRB-NET-12	Removable "A"-bar with sharps and trash. Removable "A"-bar mounted at the front end of the squad bench with sharps and trash.	1.00
CRB-TEC-11	Full-Length Seat Cushion Full-length, thermoformed, molded seat cushion.	1.00
CRB-TEC-14	Seat Backrest Individual, thermoformed, molded backrests.	3.00
CRB-TEC-23	Seating, Three (3) Passengers, 6-Pt Safety Belts Seating for three (3) passengers with 6-point safety belts. Space for Flip-down and hands-free opening mechanism.	1.00
SR00069550	Compartment C3 Compartment C3 to have a mounting strap, rear bulkhead, large enough to go around 2 boards and the scoop stretcher. Comments: D19P-1702	1.00



SR00069557	C2 Side entry Door Glove box holders x 3, interior of the C2 door, above the window	1.00
SR00069558	Head End of the Squad Bench Removable A Bar with waste and sharps at the head end of the squad bench Comments: NS-INT-CS-0084	1.00
SR00087796	Delete FCT-RGT-18 Delete FCT-RGT-18As we have a Sharps and waste shipped loose and will be mounted on the A-bar Comments: Credit for FCT-RGT-18	1.00

24-Streetside configuration (STR)

Item Number	Name/Description	Quantity
STR-ACS-23	Flip-Up Door, Tinted Self Latching Sliding Windows Aluminum flip-up frames, self latching for easy restocking of cabinets. Polycarbonate tinted self latching sliding windows.	3.00
STR-CRD-15	Technimount for Lifepak® 15 Cardiac Monitor Technimount cardiac monitor base with Lifepak® 15 mounting system.	1.00
STR-MED-12	Medical Cabinet, CPR Bench Seat, Int/Ext Access Medical cabinet with CPR bench seat, the rear lower storage compartment is accessible from the S3 exterior compartment.	1.00
STR-REA-12	CPR Seat , 6-Pt Safety Belt Seating for one EMT with 6-point safety belt.	1.00
SR00073326	Street Side Layout Tipout compartment, rearward of CPR seat, tip out box with open top_RN	1.00
SR00073327	Street Side Layout forward counter to extend to make for a single CPR seat with increased counter area_RN	1.00
SR00073329	Street Side Layout Compartment with sliding door and 1 adjustable shelf, ahead of the recessed suction. SF_RN	1.00
SR00073330	Street Side Layout Compartment at head end of the medical counter with a vertically hinged door SH_RN	1.00
SR00073331	Street Side Layout Compartment above the CPR seat with lift up door_RN	1.00
SR00073332	Street Side Layout 45 degree, upper cabinet, verically hinged door with 1 adjustable shelf, SC_RN	1.00
SR00073333	Street Side Layout SE/S3 upper in/out cabinet with two(2) full dept adjustable shelves, one at bottom of SE and 1 in the middle_RN	1.00
SR00083197	Move Fire Extinguisher Move and mount Fire extinguisher from S-2 to S-1	1.00
SR00087792	SR73326 Make sure that the tip out has sharps and trash bins	1.00
SR00087794	Front action area front counter Counter top lip to stop short of the Life pak 15 mount.	1.00

25-Forward Bulkhead (FWB)

Item Number	Name/Description	Quantity
FWB-DIV-11	Sliding Door Crawl-Through Crawl-through with sliding door on front division to access to the cab.	1.00
FWB-LFT-11	Corner Cabinet, Streetside, Two Ajustable Shelves Corner cabinet on streetside of front wall. Includes two (2) aluminum extruded doors with see through windows, two (2) ajustable shelves and LED strip lighting.	1.00



FWB-LFT-14	Locking Radio Communication Compartment Lockable compartment on street side for radio communication	1.00
FWB-RGT-11	ALS Cabinet, with Drawer ALS cabinet on curbside of front wall. Includes four (4) aluminum extruded doors with see-through windows, adjustable shelve(s), one (1) drawer at mid-height, LED strip lighting, and inside/outside access via curbside door.	1.00
FWB-RGT-13	Compartment above ALS Cabinet, Lockable Lockable compartment located above the front wall ALS cabinet.	1.00
FWB-RGT-16	See-Through Door, Two Handles Four (4) extruded doors with see through windows and handles	1.00
SR00069553	Delete Cabinet FA Delete the upper locking cabinet FA and make the cabinet FB above the pull out drawer taller. As Per the last truck D19P-1702 Comments: 22 FEB_As per D19P-1702	1.00

26-Attendant seat (AST)

Item Number	Name/Description	Quantity
AST-ARM-11	EVS Left Vac-Form Standard Armrest Left armrest made of vac-form, seamless material to match the seat color.	1.00
AST-ARM-12	EVS Right Vac-Form Standard Armrest Right armrest made of vac-form, seamless material to match the seat color.	1.00
AST-BSE-11	EVS Swivel Seat Base, Two (2) Positions EVS swivel 360 degrees seat base, locking in two (2) positions, forward and rearward positions	1.00
AST-HRS-12	EVS 1880 3Pts Vac-Formed Seamless Child Seat The EVS 1880 is a vac-form, seamless ambulance attendant's seat. Integrated child restraint system that allows uninjured children weighing between 20-65 lbs to be transported in a five point safety harness. When it is not needed, the child-insert can be folded into the seat and allow an adult to use the seat as a standard attendant's seat	1.00

27-Cot Configuration (COT)

Item Number	Name/Description	Quantity
COT-ANC-18	Ferno Stat Trac® Ferno Stat Trac® Cot Fastening System (86").	1.00
COT-ELE-12	Inductive Charging for Ferno Stat Trac® Inductive Charging for Ferno Stat trac	1.00
COT-POS-11	Center Floor-Mount Cot Configuration Center floor mount cot configuration	1.00
SR00069571	FERNO Floor Plate Make sure that the floor plate is able to accept the Ferno INX cot, in line power. Danko will install the Ferno cot and mount from the customers old ambulance.	1.00

28-Rear Control Panel (CAR)

Item Number	Name/Description	Quantity
CAR-CTR-11	Rocker Switch Controls with LED Backlit Pictograms Rocker switch controls with LED backlit pictograms.	1.00

29-Oxygen (OXY)

Item Number	Name/Description	Quantity
OXY-FLW-11	Flowmeter, 0-15 LPM Flowmeter, 0-15 LPM.	1.00
OXY-FLW-12	Flowmeter, 0-25 LPM Flowmeter, 0-25 LPM.	1.00



OXY-NTW-14	Oxygen Outlets, Four (4) Four (4) oxygen outlets. Two (2) in ECC, one (1) on curbside, and one (1) on the ceiling.	1.00
OXY-NTW-18	Additional Oxygen Outlet Modification of selected oxygen network to add additional outlet. Details and location are as follows: (1) ECC (1) Curbside (1) Ceiling	3.00
OXY-OUT-11	Oxygen Outlet, Quick-Connect Quick-connect style oxygen outlet.	4.00
OXY-REG-12	Oxygen Regulator, Manual, Sensor and Dig. Read-Out Manual oxygen regulator with pressure sensor and digital read-out.	1.00
OXY-REG-13	Oxygen Control Valve, Electronic, Manual By-Pass Electronic oxygen control valve with manual by-pass.	1.00
OXY-SPO-11	Storage for Two (2) "D-Size" Portable Cylinders "D-size" Portable oxygen cylinder storage (2), located in side entry door.	1.00
OXY-SPR-11	Universal Vertical Holder for Main Oxygen Cylinder Universal vertical holder for types "K" or "M" main oxygen cylinder in S1 streetside exterior compartment.	1.00
SR00069552	Pass Through Two(2) Vertical size D, Oxygen bottle brackets, pass through area, passenger side. (Brackets selected in config_RN) Comments: D19P-1702	1.00

31-Suction (SUC)

Item Number	Name/Description	Quantity
SUC-LOC-11	Suction System location in ECC Main suction system is located in front streetside action area.	1.00
SUC-LOC-13	Suction System Below Action Area (ECC) Suction system recesses below action area (ECC), forward of medical cabinet	1.00
SUC-MOT-11	Thomas high flow vacuum pump Thomas high flow vacuum pump	1.00
SUC-OUT-11	Vacuum outlet QD in action area Vacuum outlet QD Puritan with yellow 5/16" hose 4 ft long	1.00
SUC-REG-11	Vacuum regulator with disposable canister Vacuum regulator with disposable canister (Rico RS-4X)	1.00
SR00083204	Recessed Suction The customer uses a 1200 ML Canaster, please make the recess big enough for it to fit. Comments: Upgrade to fit 1200ML - RN	1.00

32-Electrical System (ELE)

Item Number	Name/Description	Quantity
ELE-ALT-11	Power Inverter, Xantrex Freedom, True Sine, 1000W The inverter/charger provides AC power using the DC power from the conversion battery bank. Recharge all battery banks and power all 120 volts AC outlets when the external shoreline is connected.	1.00
ELE-ALT-14	Super Auto Eject Power Inlet, 20 Amps, Yellow Kusmaull 120 Volts AC, 20 Amps Automatically disconnects shoreline Completely sealed Yellow cover Indicator light	1.00
ELE-ALT-15	Electrical Outlet, 120V AC with Indicator 120V AC hospital-grade electrical outlets with indicator. (Included)	1.00
ELE-ALT-21	Add 120V AC Duplex outlet with indicator Additional 120V AC Duplex outlet with indicator. Details and location are as follows: Add outlet in cab, behind the drivers seat. Add outlet to upper ALS cabinet, as per drawing D19P-1702	2.00



Add Two(2) addition 120 volt outlets, 1 upper bulkhead FA cabinet(this will make for a total of in the in the FA cabinet) and 1 medical counter(1 forward and 1 rearward)

ELE-CON-13	ACDelco Conversion Batteries Two (2) ACDelco conversion Batteries. (Included)	1.00
ELE-CON-14	Electrical Outlet, 12V DC 20 amp with Indicator 12V DC, 20 amp Duplex electrical outlets. (Included)	1.00
ELE-CON-17	Add 12V DC outlet with indicator Additionnal 12V DC outlet with indicator.Details and location are as follows: Add 12 volt power lead, 3', upper front bulkhead cabinet, for Med safe. Battery direct with ground	1.00
ELE-CON-18	Add Dual USB DC outlet with indicator Additionnal dual USB DC outlet with indicator.Details and location are as follows: Below the 12 V plugs	1.00
ELE-GES-11	Demers Multiplex Electronic Management System Demers Electronic Management System (DEMS) – Multiplex system. (Included)	1.00
SR00069559	Inverter Invertor to be wired ignition hot	1.00
SR00083202	Front Wall Cabinet NS6 Add a 12 gauged wire, Power and Ground with a rubber grommet for future install of a portable suction machine. Upper left hand corner of cabinet NS6. Comments: Pre-wiring - RN	1.00
SR00087793	120V outlet in NS6 upper Delete upper 120V outlet in cabinet NS6	1.00

33-Communication System (COM)

Item Number	Name/Description	Quantity
COM-RAD-11	Pre-Wiring for 2-Way Radio, Two (2) Antenna Cables Wiring preparation for two-way radio, with two (2) antenna cables.(routed from front cab to radio communication compartment)	1.00
COM-RAD-14	Radio Communications Compartment Radio communications compartment universal board, Bussmann blade-type fuse panels, and harness to power the radio communication devices.(12V battery feed, ground, ignition).	1.00
COM-RAD-15	Radio Communications Front Console Radio communications front console universal board, Bussmann blade-type fuse panels, and harness.	1.00
COM-REC-11	Data Recorder Available Signals Data recorder available signals through a universal connector in the electrical compartment. (Included)	1.00

34-HVAC (CVC)

Item Number	Name/Description	Quantity
CVC-AUX-11	Dual In-Line condenser 45000 BTU, Front LP Auxiliary dual in line condenser low profile installed on front of module - Hoseline 45000 BTU	1.00
CVC-CLD-13	OEM Tie-In Air Conditioning/ Auxiliary Condenser The condenser and evaporator are tied-in to the OEM air conditioning system, cooling the air of the patient compartment through the ducted outlets.	1.00
CVC-DIF-11	Air Conditioning Outlets, Round Round outlets for ducted air conditioning unit. (Included)	1.00



CVC-HOT-11	OEM Tie-In Heating Unit The heating system is an extension of the OEM heating system, heating the patient compartment area through invisible opening underneath the medical cabinet at floor level. (Included)	1.00
CVC-VNT-13	Exhaust Fans (2) Two (2) exhaust fans for contaminated air. Activated by front control interface or rear console switch. (Included)	1.00

35-Interior Lights (ILG)

Item Number	Name/Description	Quantity
ILG-PLF-11	LED Dome Lights, Adjustable, Dig. Timer The ceiling lights have four (4) different intensities. Each time the ceiling lights button is pushed, the intensity increases, until maximum intensity is reached.	8.00

36-Grab Handles (GBR)

Item Number	Name/Description	Quantity
GBR-COL-11	Grab Bar Color, Chrome Selected Grab bars is to be color Chrome (or stainless-steel).	1.00
GBR-DRS-11	Rear Door-Mounted Grab Bars, 16" x 16" Two (2) door-mounted grab bars, 16" x 16", inside of rear doors (A1 and A2). (Included)	1.00
GBR-DRS-12	Curbside Door-Mounted Grab Bar, 12" One (1) door-mounted grab bar, 12" each, on the inside of the side entry door (C2). (included)	1.00
GBR-EMB-11	Embarking Grab Bars, 12" Two (2) entry grab bars, 12" each, mounted inside the patient compartment. One (1) near the curbside entry door, and one (1) near the R2 rear entry door. (Included)	1.00
GBR-PLF-11	Ceiling Grab Rails, 90", Two (2) Two (2) ceiling-mounted grab rails, 90".	1.00

37-Finish and Trim (FNS)

Item Number	Name/Description	Quantity
FNS-FLR-11	Lonseal, Lonplate II, Gun metal Lonseal, Lonplate II, Gun Metal floor covering.	1.00
FNS-GRD-15	Safety Yellow Upholstery Yellow vinyl upholstery for safety exit padding covering. (Included)	1.00
FNS-GRD-17	Ash Grey Upholstery Ash grey vinyl upholstery for seat and padding covering. (Included)	1.00
FNS-MAT-11	Wood Flooring Exterior grade plywood, 0,75 inches thick.	1.00
FNS-PLF-11	Fiberglass Ceiling Fiberglass ceiling in Patient Compartment. (Included)	1.00
FNS-STK-11	General Vehicle Identification Vehicle general labels identification. (Included)	1.00

38-Functionality (FCT)

Item Number	Name/Description	Quantity
FCT-LFT-12	Premium Countertop(s) for Medical Cabinet Solid Gelcoat counter top with an appearance similar to engineered stone or natural granite surface. Includes a lip around the front action area countertop, for configurations with a rear action area, the solid surface countertop in that area does not include a lip.	1.00
FCT-PLF-11	Radio Speakers, Recessed, Two (2) Two (2) recessed radio speakers.(Included)	1.00



FCT-PLF-13	IV Hooks, Recessed in Ceiling, Flexible, Four (4) Four (4) recessed flexible IV hooks in ceiling.	1.00
FCT-RGT-13	Storage Compartment, Sliding Doors Storage compartment, two (2) cabinets, LED strip lighting, and sliding doors.	1.00
FCT-RGT-18	Sharps and Trash Container, Flip-Down, Hands-Free Red 1L sharps container combine with 3L trash container in curbside flip-down container.	1.00
FCT-RWR-11	Digital Clock, Driver and Step Indicator Lights Digital clock, rear step indicator light, driver intention indicator lights (direction, braker) located in padding above the rear doors.	1.00
SR00069551	Center Console 09MAR_Only one pocket feasible with installation of two radios_Fire extinguisher and bracket to be shipped loose_cannot be installed in cab_RNAdd Two(2) map pockets to the cab console. Comments: 09MAR_Only one pocket feasible with installation of two radios_RN	1.00
SR00069568	C3 Stair Chair location Add a seat belt with seat belt type buckle to secure the Stair Chair in place	1.00
SR00069574	Center Console Two panel in the cab console to be cut out for 2 Motorola XPR5550E mobile radios. The department will install the radio equipment.	1.00
SR00085650	Glove Boxes Please add Two (2) glove boxes, one above each rear door.	1.00

**AGREEMENT BETWEEN CRETE VOLUNTEER FIRE DEPARTMENT
AND THE LINCOLN/LANCASTER
COUNTY EMS OVERSIGHT AUTHORITY, INC.**

WHEREAS,

The Lincoln/Lancaster County EMS Oversight Authority, Inc. (hereinafter "Oversight Authority") is a Nebraska non-profit corporation engaging in activities which are essentially public in nature on behalf of the City of Lincoln and providers of emergency medical care within the City of Lincoln and its medical service area, including the overall development of the emergency medical delivery system, as well as providing Medical Control and Quality Improvement services; and

WHEREAS,

The Crete Volunteer Fire Department, an affiliate of the Crete Volunteer Fire Department, is a public provider of primary emergency medical services within Crete Volunteer Fire District, duly licensed by the State of Nebraska to provide Basic Life Support (BLS)/Advanced Life Support (ALS); and

WHEREAS,

The Crete Volunteer Fire Department have requested, and the Oversight Authority has agreed to provide, Medical Control and Oversight for the provision of emergency medical services by the Crete Volunteer Fire Department in the Crete Volunteer Fire District.

NOW THEREFORE,

The Parties enter into this Agreement to define the roles and responsibilities of each Party with respect to the provision of emergency Medical Services by the Crete Volunteer Fire Department.

SECTION I: Definitions

For the purpose of this Agreement:

- A. Emergency Medical Technician (EMT) shall be defined as an Emergency Medical Responder, EMT, Advanced EMT, Paramedic, and any other further EMT-enhancement levels developed by the State of Nebraska Office of Emergency Medical Services or local governing authorities.
- B. Crete Volunteer Fire Department shall designate a representative to serve as the contact person with the Oversight Authority. The Representative shall be selected by Crete Volunteer Fire Department and the Oversight Authority shall be continually updated as to the name and contact information for the Representative.

- C. Medical Control shall be defined as general medical oversight and advice, including providing the medical authority to administer out-of-hospital BLS and ALS patient care, on both an off-line (Standing Order) and on-line (Medical Direction) basis.

SECTION II: Services Provided

A. Personnel

- i. Crete Volunteer Fire Department agrees to have available at all times an adequate number of personnel who are certified by the State of Nebraska and credentialed by the Oversight Authority to provide EMT-Basic/EMT and/or EMR/First Responder services within the Crete Volunteer Fire Department.
- ii. Crete Volunteer Fire Department agrees to provide the Oversight Authority with the names of all of its personnel who will be providing emergency services; proof of each person's certification by the State of Nebraska to provide emergency services; and proof that each person has complied with the Oversight Authority's medical control requirements. All such information shall be provided to the Oversight Authority at least fifteen (15) calendar days prior to the time such personnel are scheduled to begin serving at his or her respective level of care.
- iii. Crete Volunteer Fire Department agrees to provide to the Oversight Authority by February 28th of each year a roster of all personnel who will be providing emergency services through the Crete Volunteer Fire Department. The Parties agree that if the Oversight Authority has not received a complete roster by March 31st of each year that this contract will immediately be suspended and the Oversight Authority will no longer provide any services or oversight to the Crete Volunteer Fire Department.

B. Training

- i. The Oversight Authority agrees to assist with the coordination of the training activities for the EMT-Basic/EMT personnel within the Crete Volunteer Fire Department. Fees, if any, associated with training under this section will be negotiated with the Crete Volunteer Fire Department.
- ii. Crete Volunteer Fire Department agrees to meet the requirements of Licensure for emergency services as established by Title 172, Chapter 12 of the Nebraska Administrative Code of the Nebraska Department of Health Services.

C. Medical Control

- i. The Oversight Authority agrees to designate a licensed physician, practicing in the specialty of Emergency Medicine, to serve as the Crete Volunteer Fire Department Medical Director. The Medical Director's responsibilities will include: medical protocol development, coordination of off-line and on-line Medical Direction, Medical Oversight and Quality Improvement. The Medical Director will inform Crete Volunteer Fire Department of new State requirements and guidelines in order to maintain compliance with State guidelines. Fees associated with this Agreement are to be paid on an annual basis within thirty (30) calendar days of the contract being executed or renewed. Delinquent payments will accrue interest at an annual rate of 10%. The Oversight Authority will provide ninety (90) calendar days written notice to Crete Volunteer Fire Department of any changes in the Medical Control fee. The membership fees for the Oversight Authority are outlined in Attachment A. Crete Volunteer Fire Department is a Tier ____ and will be charged according to Attachment A, fees to be paid to the Oversight Authority.
- ii. The Oversight Authority, through its Medical Director, agrees to provide authorization for providers within Crete Volunteer Fire Department to perform designated treatment modalities.
- iii. The Oversight Authority, in agreement with each of its contracted hospitals, will provide qualified physicians available 24 hours a day to provide on-line medical direction to the Crete Volunteer Fire Department personnel engaged in providing authorized services.
- iv. The Oversight Authority agrees to act in an advisory and resource capacity as requested by Crete Volunteer Fire Department and agreed to by the Parties.
- v. Crete Volunteer Fire Department agrees to abide by all patient care and system guidelines and protocols as established by the Oversight Authority and the State of Nebraska.
- vi. Crete Volunteer Fire Department agrees to abide by the decisions of the Oversight Authority and its Medical Director with respect to all matters which involve the quality of EMS services as well as overall system administration and utilization, patient care protocol compliance, and medical care competency by an individual provider. Failure to comply with Medical Control on the part of an individual provider or the Crete Volunteer Fire Department may result in sanctions up to and including the suspension of Medical Control authorization for an individual provider or the Crete Volunteer Fire Department.

D. Quality Improvement

- i. The Oversight Authority agrees to provide on-going Quality Improvement (QI) for Crete Volunteer Fire Department personnel serving within the System. The QI process will include, but not be limited to, patient care chart audits and other educational QI programs designed to enhance and develop the individual provider and the System as a whole. Fees, if any, associated with this provision will be negotiated with Crete Volunteer Fire Department.
- ii. Crete Volunteer Fire Department agrees to cooperate in all QI activities requested by the Oversight Authority. Failure to comply with the QI process on the part of an individual provider or the Crete Volunteer Fire Department may result in sanctions up to and including the suspension of Medical Control authorization for the individual provider or Crete Volunteer Fire Department.

SECTION III: Special Provisions

- A. Crete Volunteer Fire Department agrees that all OSHA required testing and vaccinations will be conducted in accordance with the State of Nebraska Department of Health and Human Services guidelines and specific pharmaceutical manufacturers' recommendations and under generally accepted medical practices.
- B. Indemnification. To the fullest extent permitted by law, the Crete Volunteer Fire Department shall indemnify, defend, and hold harmless the Oversight Authority, its Board, officers, agents, and employees from and against claims, damages, losses, and expenses, including but not limited to attorney's fees, arising out of or resulting from the performance of this Agreement, that results in any claim for damage whatsoever, including without limitation, any bodily injury, sickness, disease, death, or any injury to or destruction of tangible or intangible property, including any loss of use resulting therefrom that is caused in whole or in part by the intentional or negligent act or omission of Crete Volunteer Fire Department, or anyone for whose acts Crete Volunteer Fire Department may be liable. This section will not require Crete Volunteer Fire Department to indemnify or hold harmless the Oversight Authority for any losses, claims, damages, and expenses arising out of or resulting from the sole negligence of the Oversight Authority. The Oversight Authority does not waive any of its immunities by entering into this Agreement and fully retains all immunities and defenses provided by law. This section survives any termination of this Agreement.

SECTION IV: Termination

- A. Either party may terminate this Agreement, in its sole discretion, by giving sixty (60) calendar days written notice of such termination to the other Party.
- B. The Oversight Authority and Crete Volunteer Fire Department shall have the right to terminate this Agreement with thirty (30) calendar days prior written notice if the other Party defaults in the performance of any of its duties, obligations, or responsibilities under this Agreement.

SECTION V: Term/Renewal

This Agreement shall have an initial term from November 1, 2021 through October 31, 2022. Thereafter, it shall be renewed automatically for an additional (four) 4 year term unless renegotiated or terminated under Section IV above.

This Agreement is entered into this _____ day of _____.

Lincoln/Lancaster County EMS
Oversight Authority, Inc.

Crete Volunteer Fire and
Rescue Squad

By: _____
President, Board of Directors

By: _____

Address/Phone Number:

**Lincoln/Lancaster County EMS Oversight Authority, Inc.
Attachment A – Contract Fee Schedule**

The Lincoln/Lancaster County EMS Oversight Authority, Inc., has developed a standard annual fee schedule to fairly charge all contracting agencies which contract for Medical Direction under the license of the Oversight Authority Medical Director. There is a base annual rate for standard services and there are additional rates for added services. The base rate includes the following services:

- Review of all contracting agency calls by QI Coordinator/Educator
- Availability of QI Coordinator/Educator to address issues/concerns
- Support by the Oversight Authority Governing Board and Management Team
- Bi-annual meeting with the Medical Director in Lincoln or other mutual location

Annual Base Rate

LEVELS	Service and Training Provided by EMSOA	ANNUAL FEES
Tier 1	BLS, non-transport	\$450
Tier 2	BLS, non-transport, annual advanced airway training	\$650
Tier 3	BLS, transporting, annual advanced airway training	\$900
Tier 4	ALS, transporting, annual advanced airway training	\$1100

Additional Services Available

Additional training/consultation with the Medical Director----\$130 per hour (plus mileage)

Additional training by QI Coordinator/Educator ----- \$30 per hour (plus mileage)

Annual Fee Adjustments----- Fee structures will be reviewed on an annual basis and said agency will be provided with a 30 day notice of any fee adjustments. In the event that said agency rejects the proposed fee adjustment the contract will terminate after EMSOA provides notice pursuant to Section IV.